

(2)論文目録

1. 学術研究論文

- (1) 吉村允孝, 泉井一浩, 生物の形態および形態形成を模擬した創成的機構形状設計法, 日本機械学会論文集 (C 編), 64 巻, 627 号, (1998), pp.4505-4511.
- (2) 吉村允孝, 泉井一浩, 設計可能空間の再構築と解の絞り込みに基づく機械システムの最適設計法, 日本機械学会論文集 (C 編), 65 巻, 635 号, (1999), pp.2988-2995.
- (3) 吉村允孝, 泉井一浩, 階層的遺伝子型を用いた機械システムのスマート最適設計, 日本機械学会論文集 (C 編), 66 巻, 649 号, (2000), pp.3215-3222.
- (4) 吉村允孝, 泉井一浩, 藤見善久, 評価特性の相互関係に基づく意思決定順序最適化手法, 日本機械学会論文集 (C 編), 68 巻 668 号, (2002), pp.1310-1318.
- (5) Yoshimura, M., and Izui, K., Smart optimization of machine systems using hierarchical genotype representations, Transactions of the ASME, Journal of Mechanical Design, Vol.124, No.3, (2002), pp.375-384.
- (6) 吉村允孝, 泉井一浩, 遺伝的アルゴリズムの階層的分割に基づいた大規模製品最適設計手法, 日本機械学会論文集 (C 編), 69 巻 679 号, (2003), pp.825-833.
- (7) Yoshimura, M., Izui, K., and Fujimi, Y., Optimizing the decision-making process for large-scale design problems according to criteria interrelationships, International Journal of Production Research, Vol.41, No.9, (2003), pp.1987-2002.
- (8) 吉村允孝, 西脇眞二, 泉井一浩, 遺伝的アルゴリズムを用いた車両骨格構造の断面形状初期設計法, 日本機械学会論文集 (C 編), 70 巻 689 号, (2004), pp.235-242.
- (9) 吉村允孝, 小林正和, 泉井一浩, デザイン間のインタラクションに基づいた創造的コラボレーション, 日本機械学会論文集 (C 編), 70 巻 690 号, (2004), pp.523-530.
- (10) Yoshimura, M., and Izui, K., Hierarchical parallel processes of genetic algorithms for design optimization of large-scale products, Transactions of the ASME, Journal of Mechanical Design, Vol.126, No.2, (2004), pp.217-224.
- (11) 竹澤晃弘, 西脇眞二, 泉井一浩, 吉村允孝, 西垣英一, 鶴見康昭, 離散化構造要素を用いたトポロジー最適化, 日本機械学会論文集 (C 編), 70 巻 692 号, (2004), pp.1008-1015.
- (12) 細山亮, 西脇眞二, 泉井一浩, 吉村允孝, 松井和己, 寺田賢二郎, コンプライアントメカニズムのトポロジー最適化手法 (荷重入力位置の変位と出力位置の変位の比を考慮した場合), 日本機械学会論文集 (C 編), 70 巻 696 号, (2004), pp.2384-2391.
- (13) 小林正和, 山下進介, 西脇眞二, 泉井一浩, 吉村允孝, 富田直秀, トポロジー最適化と形状最適化に基づいたコンプライアントメカニズムの多段階創成設計法, 精密工学会誌, Vol. 70, No. 11, (2004), pp.1455-1460.
- (14) 吉村允孝, 吉田聡, 小西慶典, 泉井一浩, 西脇眞二, 稲森豊, 野村文子, 光行恵司, 稲垣亨, 川口裕司, ラピッドアナリシス手法による生産ラインの概念設計支援, 精密

- 工学会誌, Vol. 70, No. 12, (2004), pp. 1570-1576.
- (15) Yoshimura, M., Nishiwaki, S., and Izui, K., A multiple cross-sectional shape optimization method for automotive body frames, Transactions of the ASME, Journal of Mechanical Design, Vol. 127, No. 1, (2005), pp. 49-57.
 - (16) 吉村允孝, 藤見善久, 泉井一浩, 西脇眞二, 複数開発プロジェクトへのヒューマンリソース最適配置, 日本機械学会論文集 (C 編), 71 巻 702 号, (2005), pp.677-684.
 - (17) Yoshimura, M., Izui, K., and Kida, S., Decision support system for selecting collaborative product development partners, Concurrent Engineering: Research and Applications, Vol. 13, No. 1, (2005), pp. 5-11.
 - (18) Takezawa, A., Nishiwaki, S., Izui, K., Yoshimura, M., Nishigaki, H., Tsurumi, Y., Concurrent design and evaluation based on structural optimization using structural and function-oriented elements at the conceptual design phase, Concurrent Engineering: Research and Applications, Vol. 13, No. 1, (2005), pp. 29-42.
 - (19) 前田泰典, 西脇眞二, 泉井一浩, 吉村允孝, 松井和己, 寺田賢二郎, 振動特性を設計目標とする機械構造物のトポロジー最適化, 日本機械学会論文集 (C 編), 71 巻 703 号, (2005), pp. 813-820.
 - (20) 竹澤晃弘, 西脇眞二, 泉井一浩, 吉村允孝, 離散構造要素を用いたトポロジー最適化 (フレーム要素の断面主軸方向を設計変数として考慮した場合), 日本機械学会論文集 (C 編), 71 巻 706 号, (2005), pp. 1962-1969.
 - (21) 小林正和, 吉村允孝, 泉井一浩, コミュニケーションプロセスの可視化に基づいたコラボレーション支援システムの構築, 日本機械学会論文集 (C 編), 71 巻 707 号, (2005), pp. 2370-2377.
 - (22) Saitou, K., Izui, K., Nishiwaki, S., and Papalambros, P., A survey of structural optimization in mechanical product development, Transaction of the ASME, Journal of Computing and Information Science in Engineering, Vol. 5, No. 3, (2005), pp. 214-226.
 - (23) 竹澤晃弘, 斉藤真大, 西脇眞二, 泉井一浩, 吉村允孝, フレーム要素を用いたトポロジー最適化 (固有振動数最大化を目的とした場合), 日本機械学会論文集 (C 編), 71 巻 710 号, (2005), pp. 3018-3025.
 - (24) 小林正和, 西脇眞二, 泉井一浩, 吉村允孝, 設計者の創造性と最適設計法に基づいたコンプライアントメカニズムの創成設計法, 精密工学会誌, Vol. 71, No. 11, (2005), pp. 1464-1469.
 - (25) Yoshimura, M., Fujimi, Y., Izui, K., and Nishiwaki, S., Decision-making support system for human resource allocation in product development projects, International Journal of Production Research, Vol. 44, No. 5, (2006), pp. 831-848.
 - (26) Yoshimura, M., Yoshida, S., Konishi, Y., Izui, K., Nishiwaki, S., Inamori, Y., Nomura, A., Mitsuyuki, K., Kawaguchi, Y., and Inagaki, T., A rapid analysis method for production line design, International Journal of Production Research, Vol. 44, No. 6, (2006), pp. 1171-1192.

- (27) 吉村允孝, 泉井一浩, 深谷一真, 代替案の階層関係および制約関係を考慮した階層型遺伝的アルゴリズム, 精密工学会誌論文集 Vol. 72, No. 4, (2006), pp. 465-469.
- (28) 最上克哉, 西脇眞二, 泉井一浩, 吉村允孝, 小木曾望, 複数の信頼性評価基準を考慮したトポロジー最適化 (剛性と固有振動数を評価基準とした場合), 日本機械学会論文集(C編), 72 巻 718 号, (2006), pp. 1769-1777.
- (29) Maeda, Y., Nishiwaki, S., Izui, K., Yoshimura, M., Matsui, K., and Terada, K., Structural topology optimization of vibrating structures with specified eigenfrequencies and eigenmode shapes, International Journal for Numerical Methods for Engineering, Vol. 67, No. 5, (2006), pp.597-628.
- (30) 泉井一浩, 西脇眞二, 吉村允孝, 感度情報を用いたハイブリッドスワーム型最適化手法, 日本機械学会論文集(C編), 72 巻 719 号, (2006), pp. 2264-2271.
- (31) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura M., Structural optimization using function-oriented elements to support conceptual designs, Transactions of the ASME, Journal of Mechanical Design, Vol. 128, No. 4, (2006), pp. 689-700.
- (32) Yoshimura, M., Taniguchi, M., Izui, K., and Nishiwaki, S., Hierarchical arrangement of characteristics in product design optimization, Transactions of the ASME, Journal of Mechanical Design. Vol. 128, No. 4, (2006), pp. 701-709.
- (33) Mogami, K., Nishiwaki, S., Izui, K., Yoshimura, M., and Kogiso, N., Reliability-based structural optimization of frame structures for multiple failure criteria using topology optimization techniques, Structural and Multidisciplinary Optimization, Vol. 32, No. 4, (2006), pp. 299-311.
- (34) 山崎慎太郎, 西脇眞二, 泉井一浩, 吉村允孝, レベルセット法に基づく機械構造物の構造最適化 (新しい再初期化法の構築と剛性最大化問題への適用), 日本機械学会論文集(C編), 73 巻 725 号, (2007), pp. 72-79.
- (35) 山崎慎太郎, 西脇眞二, 泉井一浩, 吉村允孝, トポロジカルデリバティブを用いたレベルセット法に基づく構造最適化, 日本計算工学会論文集, Paper No. 200700009, (2007).
- (36) Nishiwaki, S., Maeda, Y., Izui, K., Yoshimura, M., Matsui, K., and Terada, K., Topology optimization of mechanical structures targeting vibration characteristics, Journal of Environment and Engineering, Vol. 2, No. 3, (2007) pp.480-492.
- (37) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura M., Structural optimization based on topology optimization techniques using frame elements considering cross-sectional properties, Structural and Multidisciplinary Optimization, Vol. 34, No. 1, (2007), pp. 41-60.
- (38) 木下慎也, 西脇眞二, 泉井一浩, 吉村允孝, 野村壮史, 佐藤和夫, 平山浩一, 導波特性を設計目標とする電磁波導波路のトポロジー最適化, 日本計算工学会論文集, Vol. 2007, Paper No. 20070025, (2007).
- (39) 伊賀淳郎, 西脇眞二, 泉井一浩, 吉村允孝, 材料分布の連続性を仮定した熱拡散問題のトポロジー最適化, 日本機械学会論文集(C編), 73 巻 733 号(2007), pp.2426-2433.

- (40) Izui, K., Nishiwaki, S., and Yoshimura, M., Swarm algorithms for single- and multi-objective optimization problems incorporating sensitivity analysis, *Engineering Optimization*, Vol.39, No.8, (2007), pp.981-998.
- (41) 泉井一浩, 西脇眞二, 村瀬やよい, 吉村允孝, 大庭英雄, 森谷周行, 橋本英一, 二段階最適化法による人工衛星の機器配置設計支援 (ピギーバック型人工衛星を対象とした初期的検討), *日本機械学会論文集 (C 編)*, 73 巻 736 号, (2007), pp.3330-3338.
- (42) 山田崇恭, 山崎慎太郎, 西脇眞二, 泉井一浩, 吉村允孝, レベルセット法に基づくコンプライントメカニズムの構造最適化, *日本計算工学会論文集*, Vol. 2008, Paper No. 200800001, (2008).
- (43) 山田崇恭, 山崎慎太郎, 西脇眞二, 泉井一浩, 吉村允孝, レベルセット法に基づくコンプライアント熱アクチュエータの構造最適化, *日本計算工学会論文集*, Vol. 2008, Paper No. 200800007, (2008).
- (44) Kogiso, N., Ahn, W.-J., Nishiwaki, S., Izui, K., and Yoshimura, M., Robust topology optimization for compliant mechanisms considering uncertainty of applied load, *Journal of Advanced Mechanical Design, Systems, and Manufacturing*, Vol. 2, No. 1, (2008), pp. 96-107.
- (45) 竹澤晃弘, 最上克哉, 西脇眞二, 泉井一浩, 吉村允孝, 北村充, 離散構造要素を用いたバンドギャップ構造の最適化, *日本機械学会論文集(C 編)*, 74 巻 740 号(2008), pp. 780-788.
- (46) 小木曾望, 西田啓吾, 最上克哉, 西脇眞二, 泉井一浩, 吉村允孝, 複数の性能に関する信頼性を考慮したトポロジー最適化 (要素断面特性の変動を考慮した場合), *日本機械学会論文集 (C 編)*, 第 74 巻第 742 号, (2008), pp. 1584-1593.
- (47) Patel, N. M., Tillotson, D., J. E. Renaud, J. E., Tovar, A., and Izui, K., Comparative study of topology optimization techniques, *AIAA Journal*, Vol. 46, No. 8, (2008), pp. 1963-1975.
- (48) Izui, K., Nishiwaki, S., Yoshimura, M., Nakamura, M., and Renaud, J. E., Enhanced multiobjective particle swarm optimization in combination with adaptive weighted gradient-based searching, *Engineering Optimization*, Vol. 40, No. 9, (2008), pp. 789-804.
- (49) 山田崇恭, 山崎慎太郎, 西脇眞二, 泉井一浩, 吉村允孝, レベルセット法に基づく構造最適化における設計領域境界設定に関する一考察, *日本応用数理学会論文誌*, Vol. 18, No. 3, (2008), pp. 487-505.
- (50) 山崎慎太郎, 西脇眞二, 泉井一浩, 吉村允孝, 振動特性を対象としたレベルセット法に基づく機械構造物の最適化, *日本機械学会論文集 (C 編)*, 第 74 巻第 746 号, (2008), pp. 2442-2451.
- (51) 伊賀淳郎, 西脇眞二, 泉井一浩, 吉村允孝, 設計変数依存性を考慮した熱伝達問題に対するトポロジー最適化, *日本機械学会論文集 (C 編)*, 第 74 巻第 746 号, (2008), pp. 2452-2461.
- (52) Kumar, R., Izui, K., Yoshimura, M., and Nishiwaki, S., Multilevel redundancy allocation optimization using hierarchical genetic algorithm, *IEEE Transactions on Reliability*, Vol. 57,

- No. 4, (2008), pp. 650-661.
- (53) 中上義幸, 土井健志, 吉村允孝, 西脇眞二, 泉井一浩, 長期間使用される機械製品の最適ライフサイクル設計法, 日本機械学会論文集 (C 編), 第 74 巻第 748 号, (2008), pp. 3077-3087.
 - (54) 土井健志, 吉村允孝, 西脇眞二, 泉井一浩, 消費エネルギー可変型製品の概念設計におけるライフサイクルコストの最適化手法, 日本機械学会論文集 (C 編), 第 75 巻第 749 号, (2009), pp. 238-246.
 - (55) Kumar, R., Izui, K., Yoshimura, M., and Nishiwaki, S., Multi-objective hierarchical genetic algorithms for multilevel redundancy allocation optimization, *Reliability Engineering & System Safety*, Vol. 94, No. 4, (2009), pp. 891-904.
 - (56) 岡本由仁, 泉井一浩, 伊賀淳郎, 山田崇恭, 西脇眞二, 吉村允孝, 熱電効果を考慮した熱伝導問題に関するトポロジー最適化, 日本計算工学会論文集, Vol. 2009, Paper No. 20090005, (2009).
 - (57) Doi, K., Yoshimura, M., Nishiwaki, S., and Izui, K., Lifecycle cost optimization in the conceptual design of products having variable energy consumption, *International Journal of Performability Engineering*, Vol. 5, No. 4, (2009), pp. 485-498.
 - (58) Kobayashi, M., Nishiwaki, S., Izui, K., and Yoshimura, M., An innovative design method for compliant mechanisms combining structural optimizations and designer creativity, *Journal of Engineering Design*, Vol. 20, No. 2, (2009), pp. 125-154.
 - (59) Yoshimura, M., Yoshimura, Y., Izui, K., and Nishiwaki, S., Product optimization incorporating discrete design variables based on decomposition of performance characteristics, *Journal of Mechanical Design*, Vol. 131, No. 3, (2009), Paper No. 031004.
 - (60) 小木曾望, 平野佑享, 西脇眞二, 泉井一浩, 吉村允孝, 関勝載, 複数の性能に関する信頼性を考慮したフレーム構造のトポロジー最適設計への SLSV 法の適用と収束特性の改善, 日本機械学会論文集 C 編, 第 75 巻第 751 号, (2009), pp. 719-726.
 - (61) 泉井一浩, 西脇眞二, 吉村允孝, 中村真彦, John E. Renaud, Particle Swarm Optimization と SLP のハイブリッド化による機械システムの多目的最適化, 日本機械学会論文集 C 編, 第 75 巻第 752 号, (2009), pp. 1161-1170.
 - (62) Iga, A., Nishiwaki, S., Izui, K., Yoshimura, M., Topology optimization for thermal conductors considering design dependent effects including heat conduction and convection, *International Journal of Heat and Mass Transfer*, Vol. 52, No., 11-12, (2009), pp. 2721-2732.
 - (63) 山田崇恭, 西脇眞二, 泉井一浩, 吉村允孝, 竹澤晃弘, レベルセット法による形状表現を用いたフェーズフィールド法の考え方に基づくトポロジー最適化, 日本機械学会論文集 A 編, 第 75 巻第 753 号, (2009), pp. 550-558.
 - (64) Kumar, R., Izui, K., Yoshimura, M., and Nishiwaki, S., Optimal multilevel redundancy allocation in series and series-parallel systems, *Computers and Industrial Engineering*, Vol. 57, No.1, (2009), pp. 169-180.

- (65) 山崎慎太郎, 野村壮史, 佐藤和夫, 西脇眞二, 山田崇恭, 泉井一浩, 離散化された符号付き距離関数に関する感度に基づくレベルセットトポロジー最適化法, 計算工学会論文集, Vol. 2009, (2009), Paper No. 200900012.
- (66) 土井健志, 吉村允孝, 西脇眞二, 泉井一浩, 機械製品のライフサイクル設計のための3Rの視点にもとづく最適化手法, 日本機械学会論文集C編, 第75巻第756号, (2009), pp. 2096-2104.
- (67) 山田崇恭, 西脇眞二, 伊賀淳郎, 泉井一浩, 吉村允孝, レベルセット法による形状表現を用いた熱拡散最大化問題のトポロジー最適化, 日本機械学会論文集C編, 75巻759号(2009), pp. 2868-2876.
- (68) Doi, K., Yoshimura, M., Nishiwaki, S., and Izui, K., Construction of an optimum system design method considering product lifecycle, International Journal of Sustainable Engineering, Vol. 2, No. 3, (2009), pp. 171-183.
- (69) Nishiwaki, S., Nomura, T., Kinoshita, S., Izui, K., Yoshimura, M., Sato, K., and Hirayama, K., Topology optimization for cross-section designs of electromagnetic waveguides targeting guiding characteristics, Finite Elements in Analysis and Design, Vol.45, No. 12, (2009), pp. 944-957.
- (70) 山崎慎太郎, 野村壮史, 川本敦史, 佐藤和夫, 泉井一浩, 西脇眞二, 拡張ラグランジュ法を用いたレベルセットトポロジー最適化法, 日本機械学会論文集(C編), 第75巻760号, (2009), pp. 3192-3200.
- (71) 岡本由仁, 山田崇恭, 泉井一浩, 西脇眞二, 竹澤晃弘, レベルセット法に基づく熱電効果を利用した熱アクチュエータ設計問題に関するトポロジー最適化, 日本計算工学会論文集, (2009), No. 20090024.
- (72) 伊賀淳郎, 山田崇恭, 西脇眞二, 泉井一浩, 吉村允孝, レベルセット法を用いた熱構造連成問題に対するトポロジー最適化, 日本機械学会論文集(C編), 第76巻761号, (2010), pp. 36-43.
- (73) Yamasaki, S., Nishiwaki, S., Izui, K., and Yoshimura, M., Structural optimization of mechanical structures targeting vibration characteristics based on the level set method, Journal of Environment and Engineering, Vol. 5, No. 1, (2010), pp. 60-71.
- (74) Izui, K., Nishiwaki, S., Yoshimura, M., Kariya, H., Ogihara, Y. and Shuichi, H., Switchgear component commonality design based on the trade-off analysis among inventory level, delivery leadtime and product performance, International Journal of Production Research, Vol. 48, No. 10, (2010), pp. 2821-2840.
- (75) Yamasaki, S., Nomura, T., Kawamoto, A., Sato, K., Izui, K., and Nishiwaki, S., A level set based topology optimization method using the discretized signed distance function as the design variables, Structural and Multidisciplinary Optimization, Vol. 41, No. 5, (2010), pp. 685-698.
- (76) Yamasaki, S., Nishiwaki, S., Yamada, T., Izui, K., Yoshimura, M., A structural optimization

- method based on the level set method using a new geometry-based re-initialization scheme, *International Journal for Numerical Methods in Engineering*, Vol. 83, No. 12, (2010), pp. 1580-1624.
- (77) Doi, K., Yoshimura, M., Nishiwaki, S., Izui, K., Multiobjective optimisation method for lifecycle design of mechanical products, *International Journal of Sustainable Engineering*, Vol. 3, No. 2, (2010), pp. 81-94.
 - (78) Choi, J. S., Yoo, J., Nishiwaki, S., and Izui, K., Optimization of magnetization directions in a 3-D magnetic structure, *IEEE Transactions on Magnetics*, Vol. 46, No. 6, (2010), pp. 1603-1606.
 - (79) 松島徹, 泉井一浩, 西脇眞二, ブレーキ鳴き低減を目指したディスクブレーキの構想設計法 (First Order Analysis の考え方に基づく簡易解析モデルを用いた設計評価尺度の構築), *精密工学会誌*, Vol. 76, No. 8, (2010), pp. 973-980.
 - (80) Kogiso, N., Hirano, Y., Nishiwaki, S., Izui, K., Yoshimura, M., Min, S., Reliability-based topology optimization of frame structures for multiple criteria using SLSV method, *Journal of Computational Science and Technology*, Vol. 4, No. 3, (2010), pp. 172-184.
 - (81) 山本崇史, 丸山新一, 泉井一浩, 西脇眞二, 寺田賢二郎, マルチスケール解析による多孔質吸音材モデル, *日本機械学会論文集(C編)*, 76 巻 768 号, (2010), pp. 2039-2048.
 - (82) Yamada, T., Izui, K., Nishiwaki, S., and Takezawa, A., A topology optimization method based on the level set method incorporating a fictitious interface energy, *Computer Methods in Applied Mechanics and Engineering*, Vol. 199, No. 45-48, (2010), pp. 2876-2891.
 - (83) 小池雄介, 松原厚, 西脇眞二, 泉井一浩, 山路伊和夫, 加工点工作物変位を最小化する切削プロセスの設計, *精密工学会誌*, Vol. 76, No. 12, (2010), pp. 1406-1410.
 - (84) 山田崇恭, 泉井一浩, 西脇眞二, 佐藤政司, 田畑修, 静電容量型超音波トランスデューサの最適構造設計法 (レベルセット法に基づく等断面形状制約付きトポロジー最適化), *日本機械学会論文集(A編)*, 76 巻 771 号, (2010), pp. 1403-1411.
 - (85) Yamamoto, T., Maruyama, S., Terada, K., Izui, K., and Nishiwaki, S., A generalized macroscopic model for sound-absorbing poroelastic media using the homogenization method, *Computer Methods in Applied Mechanics and Engineering*, Vol. 200, No. 1-4, (2011), pp. 251-264.
 - (86) Yamada, T., Izui, K., and Nishiwaki, S., Level set-based topology optimization method of maximizing thermal diffusivity in problems including design-dependent effects, *Transaction of ASME, Journal of Mechanical Design*, Vol. 133, No. 3, Paper No. 031011, (2011), pp. 1-9.
 - (87) 山本崇史, 丸山新一, 泉井一浩, 西脇眞二, 寺田賢二郎, 均質化法による多孔質吸音材の等価特性の導出, *日本機械学会論文集(C編)*, Vol. 77, No. 773, (2011), pp. 75-88.
 - (88) 平野佑享, 山田崇恭, 小木曾望, 泉井一浩, 西脇眞二, 伊賀淳郎, レベルセット法に基づく熱構造連成問題のトポロジー最適設計に対する不確定性を考慮したロバスト設計法, *日本機械学会論文集(C編)*, Vol. 77, No. 773, (2011), pp. 1-13.

- (89) Yamasaki, S., Nomura, T., Kawamoto, A., Sato, K., Izui, K., and Nishiwaki, S., A level set-based topology optimization method using the augmented Lagrangian method, *Journal of Environment and Engineering*, Vol. 6, No. 2, (2011), pp. 387-399.
- (90) Yamada, T., Yamasaki, S., Nishiwaki, S., Izui, K. and Yoshimura, M., Design of compliant thermal actuators using structural optimization based on the level set method, *Transaction of the ASME, Journal of Computing and Information Science in Engineering*, Vol. 11, No.1, Paper No. 011005, (2011), pp. 1-8.
- (91) 乙守正樹, 泉井一浩, 西脇眞二, マルチプルフェイズプロジェクション法によるトポロジー最適化(設計変数の低減のための新しいプロジェクション関数の定式化), *日本機械学会論文集(C編)*, Vol. 77, No. 775, (2011), pp. 836-846.
- (92) Yamada, T., Nishiwaki, S., Izui, K., Yoshimura, M., and Takezawa, A., A structural optimization method incorporating level set boundary expressions based on the concept of the phase field method, *Journal of Environment and Engineering*, Vol. 6, No. 3, (2011), pp. 567-578.
- (93) Otomori, M, Yamada, T., Izui, K., and Nishiwaki, S., Level set-based topology optimisation of a compliant mechanism design using mathematical programming, *Mechanical Sciences*, Vol. 2, No. 1, (2011), pp. 91-98.
- (94) 松島徹, 泉井一浩, 西脇眞二, 面圧分布の変動を考慮したブレーキ鳴き低減のためのディスクブレーキの構想設計法, *精密工学会誌*, Vol. 77, No. 5, (2011), pp. 525-532.
- (95) Choi, J.-S., Yamada, T., Izui, K., Nishiwaki, S., Yoo, J., Topology optimization using a reaction-diffusion equation, *Computer Methods in Applied Mechanics and Engineering*, Vol. 200, No. 29-32, (2011), pp. 2407-2420.
- (96) 泉井一浩, 村雲泰, 末光一成, 西脇眞二, 野田哲男, 永谷達也, シーケンスペア表現を用いたロボットセル生産システムのレイアウト最適設計法, *精密工学会誌*, Vol. 77, No. 8, (2011), 781-787.
- (97) Choi, J. S., Izui, K., Nishiwaki, S., Kawamoto, A., and Nomura, T., Topology optimization of the stator for minimizing cogging torque of IPM motors, *IEEE Transactions on Magnetics*, Vol. 47, No. 10, (2011), pp.3024-3027.
- (98) 乙守正樹, 山田崇恭, 泉井一浩, 西脇眞二, 数理計画法を用いたレベルセット法に基づくトポロジー最適化, *日本機械学会論文集(C編)*, Vol. 77, No. 783, (2011), pp. 4001-4014.
- (99) 真鍋匡利, 山田崇恭, 泉井一浩, 西脇眞二, 粒子法を用いたレベルセット法に基づくトポロジー最適化, *日本機械学会論文集(A編)*, Vol.77, No. 784, (2011), pp. 2054-2066.
- (100) Tenne, Y., Izui, K., and Nishiwaki, S., A hybrid model-classifier assisted framework for managing prediction uncertainty in expensive optimization problems, *International Journal of Systems Science*, Vol. 43, No. 7, (2012), pp. 1305-1321.
- (101) Tenne, Y., Izui, K., and Nishiwaki, S., A model-adaptive evolutionary algorithm for optimization, *Journal of Artificial Life and Robotics*, Vol. 16, No. 4, (2012), pp. 546-550.

- (102) Otomori, M., Andkjaer, J., Sigmund, O., Izui, K., and Nishiwaki, S., Inverse design of dielectric materials by topology optimization, *Progress In Electromagnetics Research*, Vol. 127, (2012), pp. 93-120.
- (103) Matsushima, T., Izui, K., and Nishiwaki, S., Conceptual design method for reducing brake squeal in disk brake systems considering unpredictable usage factors, *Transactions of the ASME, Journal of Mechanical Design*, Vol. 134, No. 6, (2012), Paper No. 061008, pp. 1-14.
- (104) Otomori, M., Yamada, T., Izui, K., and Nishiwaki, S., Andkjaer, J., A topology optimization method based on the level set method for the design of negative permeability dielectric metamaterials, *Computer Methods in Applied Mechanics and Engineering*, Vol. 237-240, (2012), pp. 192-211.
- (105) Choi, J. S., Izui, K., Nishiwaki, S., Kawamoto, A., and Nomura, T., Rotor pole design of IPM motors for a sinusoidal air-gap flux density distribution, *Structural and Multidisciplinary Optimization*, Vol. 46, No. 3, (2012), pp. 445-455.
- (106) Koike, Y., Matsubara, A., Nishiwaki, S., Izui, K., and Yamaji, I., Cutting path design to minimize workpiece displacement at cutting point; milling of thin-walled parts, *International Journal of Automation Technology*, Vol. 6, No. 5, (2012), pp. 638-647.
- (107) Hung, N. T., Morishita, H., Koyanagi, T., Izui, K., and Nishiwaki, S., Space-saving design of a small vertical U-shaped folded broadband dipole antenna for dual-band WiMAX using a PSO algorithm, *IEICE Communications Express*, Vol. 1, No. 3, (2012), pp. 89-94.
- (108) グェントゥワンハン, 森下久, 小柳芳雄, 泉井一浩, 西脇眞二, PSO を用いた WiMAX 用 U 字型折返しダイポールアンテナの広帯域特性に対する寸法形状最適化, *電子情報通信学会論文誌 B*, Vol. J95-B, No. 9, (2012), pp. 1069-1077.
- (109) 矢地謙太郎, 山田崇恭, 久保世志, 泉井一浩, 西脇眞二, Oseen 流れにおけるレベルセット法に基づくトポロジー最適化, *日本計算数理工学会論文集*, Vol. 12, (2012), Paper No. 02-121212, pp.7-12.
- (110) 塚本翔太, 泉井一浩, 乙守正樹, 大門真, 野村壮史, 西脇眞二, トポロジー最適化に基づく金属パッチアンテナの最適設計法, *計算工学会論文集*, (2012), Paper No. 20120015.
- (111) Choi, J. S., Izui, K., and Nishiwaki, S., Multi-material optimization of magnetic devices using an Allen-Cahn equation, *IEEE Transaction on Magnetics*, Vol. 48, No. 11, (2012), pp. 3579-3582.
- (112) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., and Kogiso, N., Level set-based topology optimization for the design of a ferromagnetic waveguide, *IEEE Transaction on Magnetics*, Vol. 48, No. 11, (2012), pp. 3579-3582.
- (113) Izui, K., Murakumo, Y., Suemitsu, I., Nishiwaki, S., Noda, A., Nagatani, T., Multiobjective layout optimization of robotic cellular manufacturing systems, *Computers & Industrial Engineering*, Vol. 64, No. 2, (2013), pp. 537-544.

- (114) 乙守正樹, 陸麗蓉, 山田崇恭, 山本崇史, 泉井一浩, 西脇眞二, レベルセット法による形状表現を用いた音響メタマテリアルのトポロジー最適化, 日本機械学会論文集 (C 編), 79 巻, 第 802 号 (2013.06), pp.2138-2151.
- (115) 矢地謙太郎, 山田崇恭, 吉野正人, 松本敏郎, 泉井一浩, 西脇眞二, 格子ボルツマン法を用いたレベルセット法に基づくトポロジー最適化, 日本機械学会論文集 (C 編), 79 巻 802 号(2013), pp. 2152-2163.
- (116) Otomori, M., Yamada, T., Andkjaer, J., Izui, K., Nishiwaki, S., Kogiso, N., Level set-based topology optimization for the design of an electromagnetic cloak with ferrite material, IEEE Transactions on Magnetics, Vol.49, No.5, (2013), pp.2081-2084.
- (117) 乙守正樹, 山田崇恭, 泉井一浩, 西脇眞二, 小木曾望, フェライトを装荷した金属導波管のトポロジー最適化, 日本計算工学会論文集, Vol.2013, (2013), No.20130014.
- (118) Nguyen, T. H., Morishita, H., Koyanagi, Y., Izui, K., Nishiwaki, S., Requisite design area on the ground plane of U-shaped folded dipole antennas, IEICE Communications Express, Vol. 2 No. 8, pp. 365-371, (2013).
- (119) Lu, L., Yamamoto, T., Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., Topology optimization of an acoustic metamaterial with negative bulk modulus using local resonance, Finite Elements in Analysis and Design, Vol. 72, (2013), pp. 1-12.
- (120) Yamada, T., Manabe, M., Izui, K., Nishiwaki, S., A Topology optimization for geometrically nonlinear problems incorporating level set boundary expressions using a particle method, Journal of Advanced Mechanical Design, Systems, and Manufacturing, Vol.7, No.4 (2013.9), pp.630-643.
- (121) 小谷高代, 山崎慎太郎, 山田崇恭, 大門真, 泉井一浩, 西脇眞二, レベルセット法に基づく静電アクチュエータの構造最適化, 日本機械学会論文集 (C 編), 79 巻, 第 805 号 (2013.9), pp.3234-3247.
- (122) 小谷高代, 山田崇恭, 泉井一浩, 西脇眞二, レベルセット法に基づくトポロジー最適化を用いた機械式レゾネーターの最適設計法, 計算数理工学論文集, Vol.13, No.24-131129, (2013.11), pp.115-120.
- (123) 矢地謙太郎, 山田崇恭, 吉野正人, 松本敏郎, 泉井一浩, 西脇眞二, 格子運動論スキームを用いたレベルセット法に基づくトポロジー最適化, 計算数理工学論文集, Vol.13, No.18-131129, (2013.11), pp.85-90.
- (124) 大門真, 塚本翔太, 乙守正樹, 泉井一浩, 西脇眞二, 表面インピーダンス法を用いた金属パッチアンテナの構造最適化, 日本機械学会論文集(C 編), 79 巻 802 号(2013), pp. 4084-4094, No.2013-JCR-0342.
- (125) Nguyen, T. H., Morishita, H., Koyanagi, Y., Izui, K., and Nishiwaki, S., A multi-level optimization method using PSO for the optimal design of an L-shaped folded monopole antenna array, IEEE Transactions on Antennas and Propagation, Vol. 62, No. 1, (2014), 206-215.

- (126) 山本崇史, 山田崇恭, 泉井一浩, 西脇眞二, トポロジー最適化による薄板上の非拘束制振材の配置最適化, 日本機械学会論文集, 80 巻, 第 809 号 (2014.1), paper No.DR0016.
- (127) Matsuki, T., Yamada, T., Izui, K., Nishiwaki, S., Topology optimization for locally resonant sonic materials, *Applied Physics Letters*, Vol.104, No.191905, (2014).
- (128) Choi, J. S., Yamada, T., Izui, K., Nishiwaki, S., Lim, H., Yoo, J., Optimal shape design of flux barriers in IPM synchronous motors using the phase field method, *The International Journal for Computation and Mathematics in Electrical and Electronics Engineering*, Vol. 33, No. 3, (2014), pp. 998-1016.
- (129) 山田崇恭, 飯盛浩司, 松本敏郎, 泉井一浩, 西脇眞二, 弾性体の周波数応答問題に対するトポロジー導関数とレベルセット法に基づくトポロジー最適化, 日本応用数理学会論文集, Vol.24, No.2, (2014), pp.139-156.
- (130) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., and Nishiwaki, S., Topology optimization using the lattice Boltzmann method incorporating level set boundary expressions, *Journal of Computational Physics*, Vol. 274(2014), pp. 158-181.
- (131) 矢地謙太郎, 北村優太, 松島徹, 山田崇恭, 泉井一浩, 西脇眞二, ブレーキディスクの構造最適化 —冷却性能向上とブレーキ鳴き低減を同時に考慮したトポロジー最適化—, 精密工学会誌, Vol.80, No.8(2014), pp.763-770.
- (132) Nguyen, T. H., Morishita, H., Koyanagi, Y., Izui, K., and Nishiwaki, S., A Multi-Level Optimization Method Using PSO for the Optimal Design of an L-Shaped Folded Monopole Antenna Array, *IEEE Transactions on Antennas and Propagation*, Vol. 62, No.1 (2014), pp. 206-215.
- (133) 久保世志, 矢地謙太郎, 山田崇恭, 泉井一浩, 西脇眞二, 内部流れを対象とした流出流量比を考慮可能なレベルセット法に基づくトポロジー最適化, 日本機械学会論文集, Vol.80, No. 815, (2014), p. DSM0213 (No. 14-0051).
- (134) Lu, L., Otomori, M., Yamada, T., Yamamoto, T., Izui, K., and Nishiwaki, S., Topology optimization of acoustic metamaterials with negative mass density using a level set-based method, *Bulletin of the JSME Mechanical Engineering Journal*, Vol.1, No.4 (2014), p. DSM0040.
- (135) 矢地謙太郎, 山田崇恭, 吉野正人, 松本敏郎, 泉井一浩, 西脇眞二, 流体問題を対象としたトポロジー最適化における離散ボルツマン方程式に基づく感度解析手法, 計算数理工学論文集, No. 16-141206 (2014), pp. 67-72.
- (136) 佐藤勇氣, 泉井一浩, 山田崇恭, 西脇眞二, 距離制約を考慮した局所探索に基づく二目的最適化法, 日本機械学会論文集, Vol. 80, (2014) No. 820, DSM0389.
- (137) 古口睦士, 矢地謙太郎, 山田崇恭, 泉井一浩, 西脇眞二, 有限体積法を用いたレベルセット法に基づく非圧縮性粘性流れのトポロジー最適化, 日本計算工学会論文集(2015), No.20150002.
- (138) Sato, Y., Izui, K., Yamada, T., and Nishiwaki, S., Gradient-based multiobjective optimization

- using a distance constraint technique and point replacement, *Engineering Optimization*, Vol. 48, No. 7, (2016), pp. 1226-1250.
- (139) Yaji, K., Yamada, T., Kubo, S., Izui, K., and Nishiwaki, S., A topology optimization method for a coupled thermal-fluid problem using level set boundary expressions, *Journal of Heat and Mass Transfer*, Vol. 81, (2015), pp. 878-888.
- (140) Izui, K., Yamada, T., Nishiwaki, S., and Tanaka, K., Multiobjective optimization using an aggregative gradient-based method, *Structural and Multidisciplinary Optimization*, Vol. 51, No. 1, (2015), pp. 173-182.
- (141) Kotani, T., Yamada, T., Yamasaki, S., Ohkado, M., Izui, K., Nishiwaki, S., Driving force profile design in comb drive electrostatic actuators using a level set-based shape optimization method, *Structural and Multidisciplinary Optimization*, Vol. 51, No. 2, (2015), pp. 369-383.
- (142) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., Matlab code for a level set-based topology optimization method using a reaction diffusion equation, *Structural and Multidisciplinary Optimization*, Vol. 51, No. 5, (2015), pp. 1159-1172.
- (143) 矢地謙太郎, 山田崇恭, 吉野正人, 松本敏郎, 泉井一浩, 西脇眞二, 等密度の二相系格子ボルツマン法を用いたトポロジー最適化, *計算数理工学論文集*, Vol. 15, No. 09-151204 (2015), pp. 49-54.
- (144) Noguchi, Y., Yamada, T., Otomori, M., Izui, K., Nishiwaki, S., An acoustic metasurface design for wave motion conversion of longitudinal waves to transverse waves using topology optimization, *Vol. 107, No. 22., (2015), Article No. 221909.*
- (145) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., and Nishiwaki, S., Topology optimization in thermal-fluid flow using the lattice Boltzmann method, *Journal of Computational Physics*, Vol. 307, (2016) pp. 355-377.
- (146) 田中隆太, 矢地謙太郎, 佐藤綾美, 泉井一浩, 山田崇恭, 西脇眞二, 誘起電荷電気浸透流を用いたマイクロポンプを対象としたレベルセット法に基づくトポロジー最適化, *日本機械学会論文集*, Vol. 82, (2016) No. 835, ID15-00406.
- (147) Yaji, K., Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., and Pironneau O. Shape optimization based on the convected level set method. *Structural and Multidisciplinary Optimization*, Vol. 54, No. 3, pp. 659-672, (2016).
- (148) Suemitsu, I., Izui, K., Yamada, T., Nishiwaki, S., Noda, A., and Nagatani, T., Simultaneous optimization of layout and task schedule for robotic cellular manufacturing systems, *Computers & Industrial Engineering*, Vol. 102, pp. 396-407, (2016).
- (149) Lim, Z. Y., Ponnambalam, S. G., and Izui, K., Nature inspired algorithms to optimize robot workcell layouts, *Applied Soft Computings*, Vol. 49, pp. 570-589, (2016).
- (150) 西紳之介, 寺田賢二郎, 加藤準治, 西脇眞二, 泉井一浩, 熱変形制御を目的とする複合板のマルチスケールトポロジー最適化, *日本計算工学会論文集*, Paper No. 20160024, pp. 1-17, (2016).

- (151)Noguchi, Y., Yamada, T., Yamamoto, T., Izui, K., and Nishiwaki, S., Topological derivative for an acoustic-elastic coupled system based on two-phase material model, *Mechanical Engineering Letters*, Vol. 2 (2016), p. 16-00246.
- (152)Tanaka, K., Hosoo, N., Katayama, T., Noguchi, Y., and Izui, K., Effect of temperature on the fiber/matrix interfacial strength of carbon fiber reinforced polyamide model composites, *Mechanical Engineering Journal*, (2016), Article ID: 16-00158.
- (153)Lim, S., Min, S., Izui, K., and Nishiwaki, S., Design optimization of a magnetic actuator incorporating the concept of the hybrid analysis method, *IEEE Transactions on Magnetics*, Vol. 53, No. 6, (2017), Paper No. 7203404.
- (154)Ryu, N., Lim, S., Min, S., Izui, K., and Nishiwaki, S., Multi-objective optimization of magnetic actuator design using adaptive weight determination scheme, Vol. 53, No. 6, (2017), Paper No. 7205104.
- (155)Sato, Y., Izui, K., Yamada, T., and Nishiwaki, S., Pareto frontier exploration in multiobjective topology optimization using adaptive weighting and point selection schemes, *Structural and Multidisciplinary Optimization*, Vol.55, No. 2, (2017), pp.409-422.
- (156)Furuta, K., Izui, K., Yaji, K., Yamada, T., and Nishiwaki, S., Level set-based topology optimization for the design of a peltier effect thermoelectric actuator, *Structural and Multidisciplinary Optimization*, Vol. 55, No. 5, (2017), pp. 1671-1683.
- (157)Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., and Andkjaer, J., Topology optimization of hyperbolic metamaterials for an optical hyperlens, *Structural and Multidisciplinary Optimization*, Vol. 55, No. 3, (2017), pp. 913-923.
- (158)Kubo, S., Yaji, K., Yamada, T., Izui, K., and Nishiwaki, S., A level set-based topology optimization method for optimal manifold designs with flow uniformity in plate-type microchannel reactors, *Structural and Multidisciplinary Optimization*, Vol. 55, No. 4, (2017), pp. 1311-1327.
- (159)Kishimoto, N., Izui, K., Nishiwaki, S., and Yamada, T., Optimal design of electromagnetic cloaks with multiple dielectric materials by topology optimization, *Applied Physics Letter*, Vol. 110, (2017) Paper No. 201104.
- (160)Noguchi, Y., Yamamoto, T., Yamada, T., Izui, K., and Nishiwaki, S., A level set-based topology optimization method for simultaneous design of elastic structure and coupled acoustic cavity using a two-phase material model, *Journal of Sound and Vibration*, Vol. 404, (2017), pp. 15-30.
- (161)岸本直樹, 野口悠暉, 佐藤勇気, 泉井一浩, 山田崇恭, 西脇眞二, レベルセット法に基づく複数材料のトポロジー最適化, *日本機械学会論文集*, Vol.83, No.849, (2017), Paper No. 17-00069.
- (162)Chen, C., Yaji, K., Yamada, T., Izui, K., Nishiwaki, S., Local-in-time adjoint-based topology optimization of unsteady fluid flows using the lattice Boltzmann method, *Mechanical Engineering Journal*, Vol.4, No.3, (2017), Paper No. 17-00120.

- (163)佐藤綾美, 山田崇恭, 泉井一浩, 西脇眞二, 希薄気体流れを対象としたトポロジー最適化, 日本機械学会論文集, Vol.83, No.850, (2017), Paper No. 17-00135.
- (164)石塚尚子, 野口悠暉, 山田崇恭, 泉井一浩, 西脇眞二, 電気めっき加工におけるめっき膜厚分布均一化のための遮蔽物のトポロジー最適化, 日本機械学会論文集, Vol.83, No.853, (2017), p. 17-00185.
- (165)Sato, Y., Izui, K., Yamada, T., and Nishiwaki, S., Topology optimization of a no-moving-part valve incorporating Pareto frontier exploration, Structural and Multidisciplinary Optimization, Vol.56, No. 4, (2017), pp.839-851.
- (166)Sato, Y., Yamada, T., Izui, K., and Nishiwaki, S., Manufacturability evaluation for molded parts using fictitious physical models, and its application in topology optimization, The International Journal of Advanced Manufacturing Technology, Vol. 92, No. 1, (2017), pp.1391-1409.
- (167)Yamada, T., Izui, K., Nishiwaki, S., A formulation for optimal design problem of compliant displacement magnification mechanisms based on effective energy concept, Mechanical Engineering Letters, Vol.3 (2017), Paper No. 17-00453.
- (168)Lim, Z. Y., Ponnambalam, S. G., and Izui, K., Multi-objective hybrid algorithms for layout optimization in multi-robot cellular manufacturing systems, Knowledge-Based Systems, Vol. 120, (2017), pp. 87-98.
- (169)Sato, Y., Izui, K., Yamada, T., and Nishiwaki, S., An optimum design method for a thermal-fluid device incorporating multiobjective topology optimization with an adaptive weighting scheme, Journal of Mechanical Design, Vol. 140, No. 2, (2017) Paper No. 031402.
- (170)古田幸三, 佐藤綾美, 泉井一浩, 山田崇恭, 松本充弘, 西脇眞二, フォノンによる微視系熱輸送におけるエネルギー最小化問題を対象とした感度解析, 計算数理工学論文集, Vol. 17, (2017), Paper No. 28-171215.
- (171)佐藤勇氣, 山田崇恭, 泉井一浩, 西脇眞二, 仮想的な物理モデルに基づく幾何学的制約付きトポロジー最適化(型成形及びフライス加工のための幾何学的制約法), 日本機械学会論文集, Vol.83, No.851(2017), p.17-00081.
- (172)Furuta, K., Sato, A., Izui, K., Matsumoto, M., Yamada, T., and Nishiwaki, S., Shape sensitivity for a two-phase heat conduction problem considering nanoscale effects, Journal of Advanced Mechanical Design, Systems, and Manufacturing, Vol. 12, No. 1, (2018), Paper No. JAMDSM0003.
- (173)Yamaki, Y., Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., Hirai, Y., and Tabata, O., A heuristic approach for actuator layout designs in deformable mirror devices based on current value optimization, Structural and Multidisciplinary Optimization, Vol. 58, No. 3, (2018), pp. 1243-1254.
- (174)Petrovic, M., Nomura, T., Yamada, T., Izui, K., and Nishiwaki, S., Orthotropic material orientation optimization method in composite laminates, Structural and Multidisciplinary Optimization Vol. 57, No. 2, (2018), pp. 815-828.

- (175) Nishi, S., Terada, K., Kato, J., Nishiwaki, S., and Izui, K., Two-scale topology optimization for composite plates with in-plane periodicity, *International Journal for Numerical Methods in Engineering*, Vol. 113, No. 8, (2018) pp. 1164-1188.
- (176) Petrovic, M., Nomura, T., Yamada, T., Izui, K., and Nishiwaki, S., Thermal Performance Optimization in Electric Vehicle Power Trains by Locally Orthotropic Surface Layer Design, *Journal of Mechanical Design*, Vol. 140, No. 1, Paper No. MD-17-1681, (2018) pp. 111413-1-8.
- (177) Miyata, K., Noguchi, Y., Yamada, T., Izui, K., and Nishiwaki, S., Optimum design of a multi-functional acoustic metasurface using topology optimization based on Zwicker's loudness model, *Computer Methods in Applied Mechanics and Engineering*, Vol. 331, (2018) pp. 116-137.
- (178) Noguchi, Y., Yamada, T., Izui, K., and Nishiwaki, S., Optimum design of an acoustic metamaterial with negative bulk modulus in an acoustic-elastic coupled system using a level set-based topology optimization method, *International Journal for Numerical Methods in Engineering*, Vol. 113, No. 8, (2018), pp. 1300-1339.
- (179) Noguchi, Y., Yamada, T., Izui, K., and Nishiwaki, S., Topology optimization for hyperbolic acoustic metamaterials using a high-frequency homogenization method, *Computer Methods in Applied Mechanics and Engineering*, Vol. 335, (2018), pp. 419-471.
- (180) 石井佑佳, 道下尚文, 森下久, 佐藤勇氣, 泉井一浩, 西脇眞二, 分散性のある複素比誘電率の最適化による広帯域な電波吸収体の実現, *電子情報通信学会論文誌 B*, Vol. J101-B, No. 9, (2018) pp. 749-758.
- (181) Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., Ito, M., and Kogiso, N., Reliability-based topology optimization under shape uncertainty modeled in Eulerian description, *Structural and Multidisciplinary Optimization*, Vol. 59, No. 1, (2018), pp. 75-91.
- (182) Min, S., Lim, S., Izui, K., Nishiwaki, S., Hong, J.-P., Magnetizing Fixture Design for Optimal Magnetization Orientation of Ring-type Magnet in Surface-mounted Permanent Magnet Motor, *IET Electric Power Applications*, (2018), Vol. 12, No. 9, pp. 1344-1349.
- (183) 古口睦士, 久保世志, 矢地謙太郎, 山田崇恭, 泉井一浩, 西脇眞二, 埋め込み境界法を用いた定常の非圧縮性粘性流れのトポロジー最適化, *日本機械学会論文集*, Vol.84, No.860(2018), p.17-00551.
- (184) Sakamoto, Y., Ishizuka, D., Matsuda, T., Izui, K., Nishiwaki, S., Topology Optimization of Superconducting Electromagnets for Particle Accelerators, *IEEE Transactions on Power and Energy*, Vol., 139, pp. 568-575, (2019)
- (185) Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., Data mining based on clustering and association rule analysis for knowledge discovery in multiobjective topology optimization, *Expert Systems With Applications*, Vol. 119, (2019), pp. 247-261.
- (186) 上林恵太, 津田明, 小木曾望, 山田崇恭, 泉井一浩, 西脇眞二, 玉山雅人, モーフィ

- ング翼の内部構造としての多層構造化コンプライアント機構の提案, 日本航空宇宙学会論文集, Vol. 18(2019), pp. 151-159.
- (187) 古口睦士, 矢地謙太郎, 山田崇恭, 泉井一浩, 西脇眞二, レベルセット法に基づく埋め込み境界法を用いた非定常の非圧縮性粘性流れのトポロジー最適化, 日本機械学会論文集, Vol.85, No.873(2019), p.18-00423.
- (188) 坂本裕介, 石塚大介, 松田哲也, 泉井一浩, 西脇眞二, 加速器用超電導コイルのトポロジー最適化, 電気学会論文誌 B, 139 巻 9 号(2019), pp.568-575.
- (189) 三木隆生, 古田歩, 佐藤勇氣, 山田崇恭, 泉井一浩, 西脇眞二, 積層造形における幾何学的制約を考慮したトポロジー最適化, 日本機械学会論文集, Vol.85, No.874(2019), p.18-00508.
- (190) Ishii, Y., Michishita, N., Morishita, H., Sato, Y., Izui, K., and Nishiwaki, S., Design Optimization of Radar Absorbent Material for Broadband and Continuous Oblique Incidence Characteristics, IEICE Transactions on Communications, Vol. E102B, No. 2 (2019) pp. 216-223.
- (191) Ishii, Y., Michishita, N., Morishita, H., Sato, Y., Izui, K., and Nishiwaki, S., Robust design of radar absorbent material with broadband characteristics, IEICE Communications Express, Vol. 8, No. 4, (2019) pp. 1-5.
- (192) 下坂将貴, 泉井一浩, 山田崇恭, 西脇眞二, 複数列車種別を考慮した鉄道ダイヤの多目的最適化, 日本設備管理学会誌, Vol. 31, No. 3, (2019) pp.51-57.
- (193) Sato, A., Yamada, T., Izui, K., Nishiwaki, S., Takata, S., A topology optimization method in rarefied gas flow problems using the Boltzmann equation, Journal of Computational Physics, Vol. 395, (2019) pp. 60-84.
- (194) Nishi, S., Yamada, T., Izui, K., Nishiwaki, S., Terada, K., Isogeometric topology optimization of anisotropic metamaterials for controlling high-frequency electromagnetic wave, International Journal for Numerical Methods in Engineering, Vol. 121, No. 6, (2020) pp. 1218-1247.
- (195) Yasuda, H., Orii, M., Izui, K., Yamada, T., Nishiwaki, S., Suzuki, M., A wavelength selective emitter design method using hyperbolic tangent level set-based shape optimization, Optics Communications, Vol. 463, Paper-No. 125405, (2020).
- (196) Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., Robust topology optimization of optical cloaks under uncertainties in wave number and angle of incident wave, International Journal for Numerical Methods in Engineering, Vol. 121, No. 17, (2020), pp. 3926-3954.
- (197) Hur, D. Y., Sato, Y., Yamada, T., Izui, K., Nishiwaki, S., Level-set based topology optimization considering milling directions via fictitious physical model, Mechanical Engineering Journal, Vol. 7, No. 6, 20-00226, (2020)
- (198) Kambayashi, K., Kogiso, N., Yamada, T., Izui, K., Nishiwaki, S., Tamayama, M., Multiobjective Topology Optimization for Multi-Layered Morphing Flap Considering Multiple Flight Conditions, Transactions of the Japan Society for Aeronautical and Space Sciences, Vol.

- 63, No. 3, (2020), pp. 90-100.
- (199) Ishizuka, N., Yamada, T., Izui, K., Nishiwaki, S., Topology optimization for unifying deposit thickness in electroplating process, *Structural and Multidisciplinary Optimization*, Vol. 62, pp. 1767-1785, (2020).
- (200) Kubo, S., Koguchi, A., Yaji, K., Yamada, T., Izui, K., and Nishiwaki, S., Level Set-based Topology Optimization for Two Dimensional Turbulent Flow Using an Immersed Boundary Method, *Journal of Computational Physics*, Vol.446(2021), No. 110630.
- (201) Li, H., Kondoh, T., Jolivet, P., Furuta, K., Yamada, T., Zhu, B., Izui, K., and Nishiwaki, S., Three-Dimensional Topology Optimization of a Fluid-Structure System Using Bodo-Fitted Mesh Adaption Based on the Level-Set Method, *Applied Mathematical Modelling*, Vol.101(2022), pp. 276-308.
- (202) Hur D. Y., Lim, S., Izui, K., and Nishiwaki, S., Unified Structural Optimization Method Using Topology Optimization and Genetic Algorithms, *Mechanical Engineering Journal*, Vol. 8, No. 3, 21-00052 (2021).
- (203) Li, H., Yamada, T., Jolivet, P., Furuta, K., Kondoh T., Izui, K., Nishiwaki, S., Full-scale 3D structural topology optimization using adaptive mesh refinement based on the level-set method, *Finite Elements in Analysis and Design*, Vol. 194, (2021), No. 103561.
- (204) Fujita, Y., Izui, K. Nishiwaki, S., Zhang, Z. Yin, Y., Production planning method for seru production systems under demand uncertainty, *Computers & Industrial Engineering*, Vol. 163, (2022), No. 107856.
- (205) Lim, Sunghoon, Misawa R., Furuta, K., Maruyama, S., Izui, K., Nishiwaki, S., Weight reduction design of multi-material vehicle components using level set-based topology optimization, *Structural and Multidisciplinary Optimization*, Vol. 65, No., 3, (2022), pp. 1-16.
- (206) Yodono, T., Yaji, K., Yamada, T., Furuta, K., Izui, K., Nishiwaki, S., Topology optimization for the elastic field using the lattice Boltzmann method, *Computers & Mathematics with Applications*, Vol. 110, (2022), pp. 123-134.
- (207) Li, H., Kondoh, T., Jolivet, P., Furuta, K., Yamada, T., Zhu, B., Zhang, H., Izui, K., Nishiwaki, S., Optimum design and thermal modeling for 2D and 3D natural convection problems incorporating level set-based topology optimization with body-fitted mesh, *International Journal for Numerical Methods in Engineering*, Vol. 123, No. 9, (2022), pp. 1954-1990.
- (208) Furuta, K., Sato, A., Izui, K., and Nishiwaki, S., A level-set-based shape optimization method for thermoelectric materials, *International Journal for Numerical Methods in Engineering* 123 (10), 2022, pp. 2338-2356.
- (209) Li, H., Kondoh, T., Jolivet, P., Nakayama, N., Furuta, K., Zhang, H., Zhu, B., Izui, K., Nishiwaki, S., Topology optimization for lift-drag problems incorporated with distributed unstructured mesh adaptation, *Structural and Multidisciplinary Optimization*, Vol. 65, No. 8, Article No. 222, (2022).

- (210)Hu, T., Wang, Y., Zhang, H., Li, H., Ding, X., Izui, K., Nishiwaki, S., Topology optimization of coated structures with layer-wise graded lattice infill for maximizing the fundamental eigenfrequency, *Computers & Structures*, Vol. 271, Paper No. 106861, (2022)
- (211)Nakayama, N., Li, H., Furuta, K., Izui, K., Nishiwaki, S., Maximization of the fundamental eigenfrequency using topology optimization based on multi-material level set method, *Mechanical Engineering Journal*, Vol. 10, No. 2, Paper No. 22-00353, (2023).
- (212)Li, H., Yu, M., Jolivet P., Alexandersen, J., Kondoh, T., Hu, T., Furuta, K., Izui, K., Nishiwaki, S., Reaction–diffusion equation driven topology optimization of high-resolution and feature-rich structures using unstructured meshes, *Advances in Engineering Software*, Vol. 180, Paper No. 103457, (2023).
- (213)Kurioka, H., Nakayama, N., Furuta, K., Noguchi, Y., Izui, K., Yamada, T., Nishiwaki, S., Multiscale optimal design method of acoustic metamaterials using topology optimization, *International Journal of Numerical Methods in Engineering*, Vol. 124, No. 13, pp. 2995-3024 (2023).
- (214)小塚 祐也, 古田 幸三, 泉井 一浩, 西脇 眞二, テクスチャエネルギーを用いて美的嗜好を考慮したレベルセット法に基づくトポロジー最適化, *日本機械学会論文集*, Vol. 89, No. 924, Paper No. 22-00296 (2023).
- (215)Hu, T., Wang, Y., Zhang, H., Li, H., Ishida, N., Sasaki, T., Furuta, K., Izui, K., Nishiwaki, S., Multiscale topological design of coated structures with layer-wise bi-material lattice infill for minimum dynamic compliance, *Composite Structures* 323, 117468 (2023)
- (216)Zhang, Z., Izui, K., Song, X., Yin, Y., Gong, X., A nested partitioning-based solution method for seru scheduling problem with resource allocation, *Journal of Management Science and Engineering*, Vol. 9, No. 1, pp. 101-114 (2024).
- (217)Fujimoto, Y., Furuta, K., Kondoh, T., Li, H., Izui, K., Nishiwaki, S., Optimum design method for structural configuration and fiber arrangement for fiber-reinforced composites, *Composites Part C*, Vol. 13, Paper No. 100432 (2024).
- (218)Suemitsu, I., Miyashita, N., Hosoda, J., Shimazu, Y., Nishikawa, T., Izui, K., Integration of sales, inventory, and transportation resource planning by dynamic-demand joint replenishment problem with time-varying costs. *Computers & Industrial Engineering*, Vol. 188, 109922, (2024).
- (219)Han, J., Furuta, K., Kondoh, T., Izui, K., Nishiwaki, S., Terada, K., Topology optimization with a finite strain nonlocal damage model using the continuous adjoint method, *Computer methods in Applied Mechanics and Engineering*, Vol. 432, Part A, Paper No. 117333 (2024).
- (220)He, M., Yang, M., Wu, X., Pu, J. Izui, K. Evaluating and analyzing the efficiency and influencing factors of cold chain logistics in China’s major urban agglomerations under carbon constraints, *Sustainability* 16 (5), 1997 (2024)
- (221)He, M., Yang, M., Fu, W., Wu, X., Izui, K., Optimization of electric vehicle routes considering

multi-temperature co-distribution in cold chain logistics with soft time windows, World Electric Vehicle Journal 15 (3), 80, (2024).

- (222) Differential evolution-based topology optimization using Karhunen-Loève expansion, Engineering Optimization

2. 国際会議論文

2.1 査読付国際会議論文

- (1) Yoshimura, M., Izui, K., Machine system design optimization strategies based on expansion and contraction of design spaces, Proceedings of the 7th AIAA/USAF/NASA/ISSMO Symposium on Multidisciplinary Analysis and Optimization, AIAA-98-4749, St. Louis, USA, September 2 - 4, 1998, pp.320-330.
- (2) Yoshimura, M., Izui, K., Smart optimization of machine systems using hierarchical genotype representations, Proceedings of 1999 ASME Design Engineering Technical Conference and Computers and Information in Engineering Conference, DETC99/DAC-8631, Las Vegas, USA, September 12-16, 1999
- (3) Yoshimura, M., Izui, K., Hierarchical parallel processing of genetic algorithms for design optimization of large-scale products, Proceedings of 2000 ASME Design Engineering Technical Conference and Computers and Information in Engineering Conference, DETC2000/DAC-14526, Baltimore, USA, September 10–13, 2000.
- (4) Yoshimura, M., Izui, K., Strategic product development decision-making based on optimization incorporating the QFD method, 10th International Conference on Precision Engineering (ICPE), Yokohama, Japan, July 18-20, 2001, pp.877-881. Initiatives of Precision Engineering at the Beginning of a Millennium, Edited by Inasaki I., Kluwer Academic Publishers.
- (5) Yoshimura, M., Izui, K., Global System optimization using hierarchical genetic algorithms based on decision-making components, Proceedings of 2001 ASME Design Engineering Technical Conference and Computers and Information in Engineering Conference, DETC2001/DAC-21075, Pittsburgh, Pennsylvania, USA, September 9–12, 2001.
- (6) Yoshimura, M., Izui, K., and Komori, S., Optimization of machine system designs using hierarchical decomposition based on criteria influence, Proceedings of DETC' 2002: ASME Design Engineering Technical Conferences and Computers and Information in Engineering Conferences, DETC2002/DAC-34042, Montreal, September 29–October 2, 2002.
- (7) Yoshimura, M., Izui, K., and Fukatani, K., Lifecycle-based product design using global optimization methods based on hierarchical genotype representation of alternatives and constraints, Proceedings of DETC 2002: ASME Design Engineering Technical Conferences and Computers and Information in Engineering Conferences, DETC2002/DAC-34043,

Montreal, September 29–October 2, 2002.

- (8) Yoshimura, M., Izui, K., and Komori, S., Hierarchical optimization of machine product designs incorporating joint dynamics, Proceedings of the Second China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM 2), Busan, Korea, November 4-8, 2002, pp.597-602.
- (9) Maeda, Y., Nishiwaki, S., Izui, K., Yoshimura, M., Matsui, K., and Terada, K., Structural topology optimization of vibrating structures with specified eigen-frequencies and eigen-modes, 5th World Congress of Structural and Multidisciplinary Optimization, A081, Lido di Jesolo, Italy, May 19-23, 2003.
- (10) Yoshimura M., Izui, K., Komori, S., and Nishiwaki, S., Breakthrough of design solutions enabled by extraction of core factors in product design optimization, 5th World Congress of Structural and Multidisciplinary Optimization, A082, Lido di Jesolo, Italy, May 19-23, 2003.
- (11) Yoshimura M., Nishiwaki, S., and Izui, K., A cross-sectional shape initial design method for automotive frame structures using genetic algorithms, 5th World Congress of Structural and Multidisciplinary Optimization, A095, Lido di Jesolo, Italy, May 19-23, 2003.
- (12) Yoshimura M., Izui, K., and Kida, S., Decision support system for selecting collaborative product development partners, Proceedings of the 10th ISPE International Conference on Concurrent Engineering: Research and Applications, Madeira, Portugal, July 26 - 30, 2003, pp.1177-1182.
- (13) Takezawa, A., Nishiwaki, S., Izui, K., Yoshimura M., Nishigaki, H., and Kojima, Y., Structural optimization for concurrent design and analysis at the conceptual design phase, Proceedings of the 10th ISPE International Conference on Concurrent Engineering: Research and Applications, Madeira, Portugal, July 26 - 30, 2003, pp.9-16.
- (14) Yoshimura M., Nishiwaki, S., and Izui, K., A Concurrent design method for multiple cross-sectional automotive body frames involving discrete and continuous design variables, Proceedings of DETC2003: ASME Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2003/DAC-48784, Chicago, Illinois, USA, September 2 - 6, 2003.
- (15) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura M., Structural topology optimization using function-oriented elements based on the concept of first order analysis, Proceedings of DETC2003: ASME Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2003/DAC-48773, Chicago, Illinois, USA, September 2 - 6, 2003.
- (16) Kobayashi, M., Yoshimura M., Nishiwaki, S., Izui, K., A method for supporting creative interaction during collaborative design processes, Proceedings of DETC2003: ASME Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2003/CIE-48223, Chicago, Illinois, USA, September 2 - 6, 2003.

- (17) Izui, K., Nishiwaki, S., Yoshimura, M., An optimal cross-sectional design method for automotive body frames, Proceedings of IBEC 2003: International Body Engineering Conference, JSAE 20037057/SAE 2003-01-2782, Tokyo, Japan, October 27-29, 2003, pp.559-564.
- (18) Yoshimura, M., Murase, Y., Yamauchi, M., Izui, K., Nishiwaki, S., and Moriya, S., A theoretical consideration of organized analysis environment for optimum design solutions, Proceedings of the International Conference on Cybernetics and Information Technologies, Systems and Applications, ISAS CITSA 2004, 10th International Conference on Information Systems Analysis and Synthesis, Hsing-Wei Chu, Jose Aguilar, Jannick Rolland, Stefan Lachowicz, and Hidehiko Mitsuma, Edited, Orlando, Florida, USA, July 21–25, 2004, pp.76-80.
- (19) Yoshimura, M., Murase, Y., Yamauchi, M., Izui, K., Nishiwaki, S., Ohba, H., Moriya, S., and Hashimoto, H., Development of an integrated design environment for space satellite structures, Proceedings of the 10th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, AIAA2004-4557, Albany, New York, USA, August 30 – September 2, 2004.
- (20) Yoshimura M., Yoshida, S., Konishi, Y., Izui, K., Nishiwaki, S., Inamori, Y., Nomura, A., Mitsuyuki, K., Kawaguchi, Y., and Inagaki, T., A collaborative rapid analysis method for decision-making in assembly line design, Proceedings of DETC'04: ASME 2004 Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2004-57370, Salt Lake City, Utah, USA, September 28 - October 2, 2004
- (21) Takezawa, A., Nishiwaki, S., Kazuhiro Izui, Yoshimura M., Nishigaki, H., and Kojima, Y., A method for determining the optimal direction of the principal moment of inertia in frame element cross-sections, Proceedings of DETC'04: ASME 2004 Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2004-57369, Salt Lake City, Utah, USA, September 28 - October 2, 2004.
- (22) Kobayashi, M., Yoshimura, M., Nishiwaki, S., and Izui, K., Collaboration support system based on visualization of communication processes, Proceedings of DETC'04: ASME 2004 Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2004-57785, Salt Lake City, Utah, USA, September 28 - October 2, 2004.
- (23) Yoshimura, M., Taniguchi, M., Izui, K., and Nishiwaki, S., Hierarchical arrangement of characteristics in product design optimization problems for deeper insight into optimized results, Proceedings of DETC'04: ASME 2004 Design Engineering Technical Conferences and Computers and Information in Engineering Conference, DETC2004-57366, Salt Lake City, Utah, USA, September 28 - October 2, 2004.
- (24) Yoshimura, M., Nishiwaki, S., and Izui, K., Particle swarm optimization for structural design incorporating sensitivity analysis, Proceedings of CJK-OSM3: The 3rd China-Japan-Korea

- Joint Symposium on Optimization of Structural and Mechanical Systems, Kanazawa, Japan, October 30-November 2, 2004, pp.65-70.
- (25) Kobayashi, M., Nishiwaki, S., Izui, K., and Yoshimura, M., An innovative design method for compliant mechanisms combining topology optimization and designer creativity, Proceedings of CJK-OSM3: The 3rd China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, Kanazawa, Japan, October 30 - November 2, 2004, pp.149-154.
 - (26) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura, M., Topology optimization for the conceptual design support, Proceedings of CJK-OSM3: The 3rd China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, Kanazawa, Japan, October 30-November 2, 2004, pp.729-734.
 - (27) Maeda, Y., Nishiwaki, S., Izui, K., Yoshimura, M., Matsui, K., and Terada, K., Design of mechanical resonators based on topology optimization techniques, Proceedings of CJK-OSM3: The 3rd China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, Kanazawa, Japan, October 30-November 2, 2004, pp.753-758.
 - (28) Izui, K., Nishiwaki, S. and Yoshimura, M., Swarm optimization algorithms incorporating design sensitivities, Proceedings of the 6th World Congress on Structural and Multidisciplinary Optimization, No. 4661, Rio de Janeiro, Brazil, May 30- June 3, 2005.
 - (29) Yoshimura, M., Sasaki, K., Izui, K. and Nishiwaki, S., Hierarchical multiobjective optimization methods for deeper understanding of design solutions and breakthrough for optimum design solutions, Proceedings of the 6th World Congress on Structural and Multidisciplinary Optimization, No. 1031, Rio de Janeiro, Brazil, May 30- June 3, 2005..
 - (30) Maeda, Y., Nishiwaki, S., Izui, K., Yoshimura, M., Matsui, K. and Terada, K., An optimum design method for vibrating mechanical structures based on topology optimization techniques, Proceedings of the 6th World Congress on Structural and Multidisciplinary Optimization, No. 981, Rio de Janeiro, Brazil, May 30- June 3, 2005..
 - (31) Chanron, V., Lewis, K., Murase, Y., Izui, K., Nishiwaki, S., and Yoshimura M., Handling multiple objectives in decentralized design, Proceedings of IDETC/CIE 2005: ASME 2005 International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, DETC2005-84807, Long Beach, California, USA, September 24-28, 2005.
 - (32) Yoshimura, M., Nishimura, T., and Izui, K., Acquisition of product design guidelines considering user kansei data pertaining to product environments, Proceedings of IDETC/CIE 2005: ASME 2005 International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, DETC2005-85160, Long Beach, California, USA, September 24-28, 2005.
 - (33) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura, M. Structural topology optimization using frame elements based on the complementary strain energy concept for eigen-frequency

- maximization, Proceedings of IDETC/CIE 2005: ASME 2005 International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, DETC2005-85176, Long Beach, California, USA, September 24-28, 2005.
- (34) Mogami, K., Izui, K., Nishiwaki, S., Yoshimura, M., and Kogiso, N., Reliability-based topology optimization considering multicriteria using frame elements, Proceedings of IDETC/CIE 2005: ASME 2005 International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, DETC2005-85137, Long Beach, California, USA, September 24-28, 2005.
 - (35) Kogiso, N., Mogami, K., Nishiwaki, S., Izui, K., and Yoshimura, M., Reliability-based topology optimization of frame structures, Advances in Reliability and Optimization of Structural Systems, Proceedings of the 12th WG 7.5 Working Conference on Reliability and Optimization of Structural Systems, May 22-25, 2005, pp.31-40.
 - (36) Izui, K., Nishiwaki, S., Yoshimura, M., Yamashita, Y., 2006, A product family design optimization method considering hierarchical modularity, Proceedings of the IJCC Workshop 2006 on Digital Engineering, Pyeongchang-gun, Gangwon-do, Korea, February 8-9, 2006, pp. 101-106.
 - (37) Kogiso, N., Mogami, K., Nishiwaki, S., Izui, K., and Yoshimura, M., Reliability-based topology optimization of frame structures with multiple mode, 47th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics & Materials Conference, AIAA-2006-2002, May 1-4, 2006, Newport, RI, USA.
 - (38) Mogami, K., Nishiwaki, S., Izui, K., Yoshimura, M., and Nomura, T., Structural optimization for the design of band-gap structures using discrete structural elements, Proceedings of the 11th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, AIAA 2006-7010, Portsmouth, Virginia, USA, 6 - 8 September, 2006.
 - (39) Nakamura, M., Izui, K., Nishiwaki, S., and Yoshimura, M., A multi-objective particle swarm optimization incorporating design sensitivity, Proceedings of the 11th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, AIAA2006-7010, Portsmouth, VA, USA, 6 – 8 September, 2006.
 - (40) Kobayashi, M., Nishiwaki, S., Izui, K., Yamakawa, H., and Yoshimura, M., A two-stage design method for compliant mechanisms having specified non-linear output, Proceedings of the 2006 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2006-99351, Philadelphia, Pennsylvania, USA, September 10-13, 2006.
 - (41) Yoshimura, M., Yoshimura, Y, Izui, K., and Nishiwaki, S., Product optimization incorporating discrete design variables based on decomposition of performance characteristics, Proceedings of the 2006: ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2006-99187, Philadelphia, Pennsylvania, USA, September

10-13, 2006.

- (42) Nishiwaki, S., Silva, E. C. N., Matsui, K., Terada, K., Izui, K., and Yoshimura, M., Structural topology optimization of mechanical resonators, Actuators and Sensors, Proceedings of the IUTAM Symposium on Topological Design Optimization of Structures, Machines and Materials: Status and Perspectives, Springer, 2006, pp.291-299.
- (43) Kumar, R., Izui, K., Yoshimura, M., and Nishiwaki, S., Hierarchical reliability optimization using competent genetic algorithms, Proceedings of the Fourth China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems Kunming, China, November 6 - 9, 2006, pp.341-346.
- (44) Kumar, R., Izui, K., Yoshimura, M., and Nishiwaki, S., Optimal modular redundancy using hierarchical genetic algorithms, Proceedings of the International Symposium on Product Quality and Integrity, Orland, FL, USA, January 22-25,2007, pp. 398-404.
- (45) Doi, K., Yoshimura, M., Nishiwaki, S., and Izui, K., A study on life-cycle cost optimization in the conceptual design of products incorporating energy-saving functions, 7th World Congress on Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25,2007, pp.275-284.
- (46) Yoshimura, M., Yoshimura, Y., Izui, K., and Nishiwaki, S., Product design optimization incorporating concurrent and hierarchical strategies, 7th World Congress on Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25,2007, pp.951-960.
- (47) Kumar, R., Izui, K., Yoshimura, M., and Nishiwaki, S., Optimal analysis of hierarchical redundancy allocation using competent genetic algorithms, 7th World Congress on Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25,2007, pp.1320-1328.
- (48) Yamasaki, S., Nishiwaki, S., Izui, K., and Yoshimura, M., A structural optimization method for stiffness and vibration problems based on the level set method using a new geometric re-initialization scheme, 7th World Congress on Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25,2007, pp.1937-1946.
- (49) Kinoshita, S., Nishiwaki, S., Izui, K., Yoshimura, M., Nomura, T., Sato, K., and Hirayama, K., Topology optimization for the design of electric field resonators targeting frequency characteristics, 7th World Congress on Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25,2007, pp.2003-2011.
- (50) Mogami, K., Nishiwaki, S., Izui, K., Yoshimura, M., and Nomura, T., Structural optimization using discrete elements for the design of structures implementing particular wave propagation functions, 7th World Congress on Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25,2007, pp.2033-2042.
- (51) Iga, A., Nishiwaki, S., Izui, K., and Yoshimura, M., Topology optimization for thermal problems considering deign-dependent heat convection loads, 7th World Congress on

Structural and Multidisciplinary Optimization (WCSMO-7), Seoul, Korea, May 21-25, 2007, pp.2163-2171.

- (52) Takezawa, A., Nishiwaki, S., Izui, K., Yoshimura, M., Kogiso, N., A conceptual design support methodology based on structural optimization techniques using function-oriented elements, Proceedings of the international conference on Engineering design , ICED'07/71, Paris, France, August 28-31, 2007.
- (53) Yoshimura, M., Sasaki, K., Izui, K., and Nishiwaki, S., Robust product design optimization method using hierarchical representations of characteristics, Proceedings of the 2007 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2007-34591, Las Vegas, Nevada, USA, September 4-7, 2007.
- (54) Matsushima, T., Nishiwaki, S., Yamasaki, S., Izui, K., and Yoshimura, M., Robust optimal design method for reducing brake squeal in disc brake systems, Proceedings of the 2007 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2007-34708, Las Vegas, Nevada, USA, September 4-7, 2007.
- (55) Kariya, H., Izui, K., Nishiwaki, S., and Yoshimura, M., Switchgear component commonality design method considering delivery lead-time and inventory level, Proceedings of the 2007 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2007-35687, Las Vegas, Nevada, USA, September 4-7, 2007.
- (56) Yamasaki, S., Nishiwaki, S., Izui, K., Yoshimura, M., Structural optimization for eigen-frequency problems based on the level set method, Proceedings of the 7th International Conference on Optimization: Techniques and Applications (ICOTA7), Paper No. 4260030F, Kobe, Japan, December 13-15, 2007.
- (57) Kumar, R, Izui, K., Nishiwaki, S., Yoshimura, M., Hierarchical genetic algorithm for system reliability optimization, Proceedings of the 7th International Conference on Optimization: Techniques and Applications (ICOTA7), Paper No. 4120010F, Kobe, Japan, December 13-15, 2007.
- (58) Kogiso, N., Hirano, Y., Nishiwaki, S., Izui, K., Yoshimura, M., and Min, S., Application of SLSV methods to reliability-based topology optimization for frame structures, Proceedings of the 5th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, ST6-J023, June 16-19, 2008, Jeju Island, Korea.
- (59) Yamada, T., Nishiwaki, S., Yamasaki, S., Izui, K., and Yoshimura, M., Optimum structural design of thermal actuators using the level set method, Proceedings of the 5th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, DT-J006, June 16-19, 2008, Jeju Island, Korea.
- (60) Doi, K., Yoshimura, M., Nishiwaki, S., and Izui, K., Application of multiobjective optimization methods to lifecycle designs considering the reduce paradigm, Proceedings of the 5th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical

Systems, OO1-J002, June 16-19, 2008, Jeju Island, Korea.

- (61) Okamoto, Y., Izui, K., Yamada, T., Iga, A., Nishiwaki, S., Yoshimura, M., and Renaud, J. E., topology optimization of heat transfer control systems using thermoelectric devices, Proceedings of the 5th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, ST4-J016, June 16-19, 2008, Jeju Island, Korea.
- (62) Iga, A., Nishiwaki, S., Izui, K., and Yoshimura, M., Topology optimization for steady-state heat transfer problems including design-dependent effects, Proceedings of the 2008 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2008-49098, August 3-6, 2008, Brooklyn, New York, USA.
- (63) Doi, K., Yoshimura, M., Nishiwaki, S., and Izui, K., Multiobjective method for lifecycle design of machine products, Proceedings of the 2008 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2008-49425, August 3-6, 2008, Brooklyn, New York, USA.
- (64) Yoshimura, M., Yoshimura, Y., Izui, K., and Nishiwaki, S., Fundamental strategies for system optimization of machine product designs, Proceedings of the 2008 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2008-49435, August 3-6, 2008, Brooklyn, New York, USA.
- (65) Yamada, T., Yamasaki, S., Nishiwaki, S., Izui, K., and Yoshimura, M., Design of compliant thermal actuators using structural optimization based on the level set method, Proceedings of the 2008 ASME International Design Engineering Technical Conferences & Computers in Engineering Conference, DETC2008-49618, August 3-6, 2008, Brooklyn, New York, USA.
- (66) Yamada, S., Yamasaki, S., Nishiwaki, S., Izui, K., and Yoshimura, M., Structural optimization of compliant thermal micro actuators based on the level set method, 12th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, September 2008, Victoria, Canada, AIAA 2008-5937.
- (67) Uchida, N., Nishiwaki, S., Izui, K., Yoshimura, M., Nomura, T., and Sato, K., Simultaneous shape and topology optimization for the design of patch antennas, 3rd European Conference on Antennas and Propagation, March, 2009, Berlin, Germany, pp.103-107.
- (68) Yamasaki, S., Nishiwaki, S., Yamada, T., Izui, K., and Yoshimura, M., A new structural optimization method based on the level set method, 12th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, , September 2008, Victoria, Canada, AIAA 2008-6082.
- (69) Doi, K., Yoshimura, M., Nishiwaki, S., and Izui, K., Optimization method for lifecycle designs of products having different lifecycle characteristics, 8th World Congress on Structural and Multidisciplinary Optimization (WCSMO-8), June 1-5, 2009, Lisbon, Korea, Portugal, Paper No. 1071.
- (70) Yamada, T., Nishiwaki, S., Izui, K., and Yoshimura, M., A new level set based topology

optimization method using a fictitious interface energy model based on phase field method Concepts, 8th World Congress on Structural and Multidisciplinary Optimization (WCSMO-8), June 1-5,2009, Lisbon, Korea, Portugal, Paper No. 1136.

- (71) Izui, K., Yamasaki, S., Nishiwaki, S., Yamada, T., and Yoshimura, M., Comparison of conventional re-initialization techniques and development of a new geometry-based re-initialization scheme for use in level set-based structural optimization methods, 8th World Congress on Structural and Multidisciplinary Optimization (WCSMO-8), June 1-5,2009, Lisbon, Korea, Portugal, Paper No.1199.
- (72) Okamoto, Y., Izui, K., Iga, A., Yamada, T., Nishiwaki, S., and Yoshimura, M., Topology optimization for the design of compliant thermal actuators using thermoelectric devices, 8th World Congress on Structural and Multidisciplinary Optimization (WCSMO-8), June 1-5,2009, Lisbon, Korea, Portugal, Paper No. 1198.
- (73) Uchida, N., Nishiwaki, S., Izui, K., Yoshimura, M., and Nomura, T., Topology optimization of electromagnetic waveguides, 8th World Congress on Structural and Multidisciplinary Optimization (WCSMO-8), June 1-5,2009, Lisbon, Korea, Portugal, No. 1200.
- (74) Yamaguchi, K., Izui, K., Nishiwaki, S., Yoshimura, M., Shiozaki, H., and Motoyama, K., Optimum crashworthiness design based on simplified modeling of thin-walled beams, 8th World Congress on Structural and Multidisciplinary Optimization (WCSMO-8), June 1-5,2009, Lisbon, Korea, Portugal, Paper No.1229.
- (75) Izui, K, Yokota, K., Yamada, T., Nishiwaki, S., and Yoshimura, M., A Structural Optimization Method for Universal Design of Compliant Mechanism Scissors, Proceedings of the ASME 2009 International Design Engineering Technical Conferences & Computers and Information in Engineering Conference IDETC/CIE 2009, August 30-September, 2009, San Diego, California, USA, DETC2009-86594.
- (76) Yamada, T, Nishiwaki, S., Iga, A., Izui, K., and Yoshimura, M., Level Set-based Topology Optimization Method for Thermal Problems Considering Design-dependent Boundary Effects, Proceedings of the ASME 2009 International Design Engineering Technical Conferences & Computers and Information in Engineering Conference IDETC/CIE 2009, August 30-September, 2009, San Diego, California, USA, DETC2009-86618.
- (77) Hirano, Y, Kogiso, N, Nishiwaki, S., Izui, K, and Yoshimura, M., Reliability-Based Topology Optimization of Frame Structure Using SLSV Approach, Proceedings of the 10th International Conference on Structural Safety and Reliability, September 13-September 17, 2009, Osaka, Japan, pp.1453-1460.
- (78) Choi, J.-S., Yoo, J., Nishiwaki, S., and Izui, K., Optimization of Magnetization Directions in A Three Dimensional Magnetic Structure, Proceedings of Joint MMM-Intermag Conference, January 18-Janurary 22, 2010.Washington, DC, USA, p. 1619.
- (79) Tenne, Y., Izui, K., Nishiwaki, S., Handling undefined vectors in expensive optimization

problems, Applications of Evolutionary Computation, EvoApplications 2010: EvoCOMPLEX, EvoGAMES, EvoIASP, EvoINTELLIGENCE, EvoNUM, and EvoSTOC, Istanbul, Turkey, April 7-9, 2010, Proceedings, Part I, Published in Lecture Notes in Computer Science, Vol. 6024 LNCS (Part 1), pp. 582-591.

- (80) Kawai, I., Izui, K., Nishiwaki, S., Nomura, T., and Yamasaki, S., Thermophotovoltaic Filter Design Using Topology Optimization Method, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.59.
- (81) Lim, Y. K., Okamoto, Y., Yamada, T., Izui, K., and Nishiwaki, S., Topology Optimization of Piezoelectric Devices Using the Level Set Method Incorporating Fictitious Interface Energy, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.121.
- (82) Choi, J.-S., Izui, K., Nishiwaki, S., Nomura, T., and Kawamoto, A., Topology Optimization of an Interior Permanent Magnet Synchronous Motor to Reduce Cogging Torque, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.122.
- (83) Kotani, T., Yamada, T., Izui, K., and Nishiwaki, S., Optimum Design of Compliant Actuators Using Level Set-Based Topology Optimization Method, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.127.
- (84) Otomori, M., Izui, K., and Nishiwaki, S., Reducing Design Variables in a Multiple Phase Projection Method, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.131.
- (85) Tenne, Y., Izui, K., and Nishiwaki, S., A Framework for Expensive Optimization Problems in the Presence of Undefined Vectors, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.177.
- (86) Yamada, T., Izui, K., and Nishiwaki, S., A Topology Optimization Method Incorporating Geometric Constraints Using Level Set Boundary Expressions, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.198.
- (87) Manabe, M., Yamada, T., Izui, K., and Nishiwaki, S., Level Set-Based Topology Optimization for Nonlinear Structural Problems Using a Particle Method, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.210.
- (88) Koike, Y., Matsubara, A., Nishiwaki, N., Izui, K., and Yamaji, I., Algorithm to Optimize Cutting Path for Minimizing Workpiece Displacement at Cutting Point, 6th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems, June 22-25, 2010, Kyoto, Japan, p.244.

- (89) Izui, K., Okamoto, Y., Yamada, T., and Nishiwaki, S., Level set-based structural topology optimization of thermal deformation control structures using thermoelectric devices, 13th AIAA/ISSMO Multidisciplinary Analysis Optimization Conference, September 13-15, 2010, Fort Worth, Texas, USA, AIAA2010-9132.
- (90) Yamada, T., Izui, K., and Nishiwaki, S., A Shape and Topology Optimization Method Incorporating Level Set Boundary Expressions for Vibration Problems, 13th AIAA/ISSMO Multidisciplinary Analysis Optimization Conference, September 13-15, 2010, Fort Worth, Texas, USA, AIAA2010-9313.
- (91) Manabe, M., Yamada, T., Izui, K., and Nishiwaki, S., Level Set-Based Topology Optimization for Mechanical Structures with Large Deformation Using a Particle Method, 13th AIAA/ISSMO Multidisciplinary Analysis Optimization Conference, September 13-15, 2010, Fort Worth, Texas, USA, AIAA2010-9315.
- (92) Yamasaki, S., Yamada, T., Matsushima, T., Izui, K., and Nishiwaki, S., A Level Set-Based Topology Optimization Method Targeting Dynamic Characteristics of Rotational Symmetry Structures, 13th AIAA/ISSMO Multidisciplinary Analysis Optimization Conference, September 13-15, 2010, Fort Worth, Texas, USA, AIAA2010-9317.
- (93) Koike, Y., Matsubara, A., Nishiwaki, S., Izui, K., and Yamaji, I., Optimization design of cutting path for minimizing workpiece displacement at cutting point, 4th CIRP International Conference on High Performance Cutting 2010, October 24-26, 2010, Gifu, Japan, J-46.
- (94) Tenne, Y., Izui, K., and Nishiwaki, S., A classifier-assisted framework for expensive optimization problems: A knowledge-mining approach, Learning and Intelligent Optimization-LION 5, January 17-21, 2011, Rome, Italy.
- (95) Kawai, I., Izui, K., Nishiwaki, S., and Nomura, N., Topology optimization of optical filter design to improve efficiency of a thermophotovoltaic generation system, 9th World Congress on Structural and Multidisciplinary Optimization, No. 188_1, June 13-17, 2011, Shizuoka, Japan.
- (96) Kotani, T., Yamada, T., Manabe, M., Izui, K., and Nishiwaki, S., Level set-based topology optimization of large displacement compliant mechanisms, 9th World Congress on Structural and Multidisciplinary Optimization, No. 038_1, June 13-17, 2011, Shizuoka, Japan.
- (97) Tsukamoto, S., Nomura, T., Izui, K., and Nishiwaki, S., Topology optimization for the design of a super lens structure, 9th World Congress on Structural and Multidisciplinary Optimization, No. 209_1, June 13-17, 2011, Shizuoka, Japan.
- (98) Suemitsu, I., Murakumo, Y., Izui, K., Nishiwaki, S., Noda, A., Nagatani, T., and Tanaka, K., A multiobjective optimization technique for layout design of robotic assembly systems, 9th World Congress on Structural and Multidisciplinary Optimization, No. 186_1, June 13-17, 2011, Shizuoka, Japan.
- (99) Choi, J.-S., Izui, K., Nishiwaki, S., Kawamoto, A., and Nomura, T., Shape optimization of

- pole shoes in interior permanent magnet synchronous machines, 9th World Congress on Structural and Multidisciplinary Optimization, No. 189_1, June 13-17, 2011, Shizuoka, Japan.
- (100) Lim, Y., Yamada, T., Izui, K., and Nishiwaki, S., Level set-based topology optimization of energy harvesting devices considering piezoelectric effect, 9th World Congress on Structural and Multidisciplinary Optimization, No. 179_1, June 13-17, 2011, Shizuoka, Japan.
 - (101) Hung, N., Morishita, H., Izui, K., and Nishiwaki, S., Shape optimization of WiMAX antenna using PSO, 9th World Congress on Structural and Multidisciplinary Optimization, No. 041_1, June 13-17, 2011, Shizuoka, Japan.
 - (102) Matsushima, T., Izui, K., and Nishiwaki, S., Optimal design considering robustness to reduce brake squeal in disc brake systems, 9th World Congress on Structural and Multidisciplinary Optimization, No. 072_1, June 13-17, 2011, Shizuoka, Japan.
 - (103) Tenne, Y., Izui, K., and Nishiwaki, S., A multi-model multi-classifier computational intelligence algorithm for simulation-driven optimization problems, 9th World Congress on Structural and Multidisciplinary Optimization, No. 062_1, June 13-17, 2011, Shizuoka, Japan.
 - (104) Manabe, M., Yamada, T., Izui, K., and Nishiwaki, S., Geometrically nonlinear structural design using level set-based topology optimization and particle method, 9th World Congress on Structural and Multidisciplinary Optimization, No. 193_1, June 13-17, 2011, Shizuoka, Japan.
 - (105) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., Level set-based topology optimization of negative permeability metamaterials, 9th World Congress on Structural and Multidisciplinary Optimization, No. 111_1, June 13-17, 2011, Shizuoka, Japan.
 - (106) Manabe, M., Yamada, T., Izui, K., and Nishiwaki, S., Geometrically Nonlinear Structural Design Using Level Set-based Topology Optimization and Particle Method, 9th World Congress on Structural and Multidisciplinary Optimization, June 13-17, 2011, Shizuoka, Japan, 193_1.
 - (107) Choi, K., Izui, K., and Nishiwaki, S., Multi-material Optimization of Electric Machines Using an Allen-Cahn Equation, Proceedings of IEEE International Magnetism Conference, Paper No. EG-07, May 7-11, 2012, Vancouver, Canada.
 - (108) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S. and Kogiso, N., Level Set-based Topology Optimization for the Design of a Ferromagnetic Waveguide, Proceedings of IEEE International Magnetism Conference, Paper No., EG-08, May 7-11, 2012, Vancouver, Canada, EG-08.
 - (109) Kentaro Yaji, Takayuki Yamada, Kazuhiro Izui and Shinji Nishiwaki, Level Set Based-Topology Optimization in a Viscous Fluid Under Oseen Approximation, Proceedings of 7th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical

- Systems (CJK-OSM7), Paper No. J069, June 18-21, 2012, Huangshan, China.
- (110) Lirong Lu, Takashi Yamamoto, Takayuki Yamada, Masaki Otomori, Kazuhiro Izui and Shinji Nishiwaki, Level Set-Based Topology Optimization Method for the Design of Acoustic Metamaterial with Negative Bulk Modulus, Proceedings of 7th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM7), Paper No. J098, June 18-21, 2012, Huangshan, China.
 - (111) Otomori, M., Andkjaer, J., Sigmund, O., Izui, K., and Nishiwaki, S., Topology optimization for the microstructure design of dielectric materials, Proceedings of 7th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM7), Paper No. J039, June 18-21, 2012, Huangshan, China.
 - (112) Choi, J. S., Yamada, T., Izui, K., Nishiwaki, S., Lim, H., and Yoo, J., Shape Optimization of Flux Barriers in IPM Synchronous Motors, The 15th Biennial IEEE Conference on Electromagnetic Field Computation, November 11-14, 2012, Oita, Japan.
 - (113) Otomori, M., Yamada, T., Izui, K., and Nishiwaki, S., Level Set-Based Structural Topology Optimization of Metallic Waveguide Loaded with Ferrite, 14th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, September 17-19, 2012, Indianapolis, Indiana, USA, AIAA2012-5477.
 - (114) Yaji, K., Yamada, T., Izui, K., and Nishiwaki, S., Topology Optimization Method Using Level Set Boundary Expressions in Navier Stokes Flow, 14th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, September 17-19, 2012, Indianapolis, Indiana, USA, AIAA2012-5526.
 - (115) Yamada, T., Matsumoto, T., Izui, K., Nishiwaki, S., Topological derivatives for stress related problems and their application to level set-based topology optimization, Proceedings of International Conference on Computational Mechanics (CM13), 25-27 March 2013, Durham, UK, No.137-CM13.
 - (116) Otomori, M., Lu, L., Nishiwaki, S., Yamada, T., Izui, K., Yamamoto, T., Level set-based Topology optimization of acoustic metamaterials, Proceedings of the 10th World Congress on Structural and Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Florida, USA, No.5142.
 - (117) Izui, K., Yamada, T., Nishiwaki, S., A gradient-based multiobjective optimization technique using an adaptive weighting method, Proceedings of the 10th World Congress on Structural and Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Florida, USA, No.5143.
 - (118) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., Nishiwaki, S., Level set-based topology optimization method for viscous flow using Lattice Boltzmann Method, Proceedings of the 10th World Congress on Structural and Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Florida, USA, No.5171.
 - (119) Akatsuchi Y., Yamada, T., Izui, K., Nishiwaki, S., Ohkado, M., Nomura, T., Design of a

far-infrared lens based on topology optimization, Proceedings of the 10th World Congress on Structural and Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Florida, USA, No.5326.

- (120) Otomori, M., Andkjaer J., Sigmund, O., Yamada, T., Izui, K., Nishiwaki, S., Topology optimization for microstructure design of plasmonic composites, Proceedings of the 10th World Congress on Structural and Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Florida, USA, No.5329.
- (121) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., Kogiso, N., Level set-based topology optimization for the design of light-trapping structures, Proceedings of the 19th International Conference on the Computation of Electromagnetic Fields, 30 June - 4 July 2013, Budapest, Hungary, No.PD1-6.
- (122) Otomori, M., Yamada, T., Andkjar, J., Izui, K., Nishiwaki, S., and Kogiso, N., Topology optimization of an electromagnetic cloak using a ferrite material, 8th International Congress on Advanced Electromagnetic Materials in Microwaves and Optics - Metamaterials 2014, 25-30 August 2014, Copenhagen, Denmark, pp. 394 - 396.
- (123) Suemitsu, I., Izui, K., Yamada, T., Nishiwaki, S., Noda, A., and Nagatani, T., A Layout Optimization Method for Robotic Cellular Manufacturing Systems Considering Task Scheduling, CIE44 & IMSS'14 Proceedings, 14-16 October 2014, Istanbul, Turkey, pp. 533-546.
- (124) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., Nishiwaki, S., Level set-based topology optimization using the lattice Boltzmann method considering two-phase fluid flows, Proceedings of 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1302.
- (125) Izui, K., Bai, X., Yamada, T., Nishiwaki, S., Noda, A., Nagatani, T., A bi-level multiobjective optimizatio approach for layout design of robotic cellular manufacturing systems, Proceedings of the 45th International Conference on Computers & Industrial Engineering, Paper No. 175. October 28-30, 2015, Metz France.
- (126) Ishizuka, D., Izui, K., Yamada, T., Nishiwaki, S., Comparison of data mining techniques for analysis of Pareto Optimal solutions in layout planning problems in manufacturing systems, Proceedings of the Computers and Industrial Engineering 46, 29-31 October 2016, Tianjin, China, Paper No. 88.
- (127) Shimosaka, M., Ishizuka, D., Yamada, T., Izui, K., Nishiwaki, S., A Clustering Technique for Analysis of Non-Dominated Solutions in Manufacturing System Optimization Problems, Proceedings of the 47th Computers and Industrial Engineering, 11-13 October 2017, Lisbon, Portugal, Paper No. 25.

2.2 国際会議論文(口頭発表)

印は招待講演

- (1) Izui, K., Yoshimura, M., Nishiwaki, S., Design Optimization Methods of Automotive Frame Structure at the Conceptual Design Phase, Japan / US Workshop on Design Environment 2004, Ann Arbor MI and Stanford CA, USA, March 12 -15, 2004.
- (2) Nishiwaki, S., Silva, E. C. N., Hosoyama, A., Izui, K., Yoshimura, M., Matsui, K., and Terada, K., Topology Optimization of Mechanical Structures with Multiple Kinematic Functions, 6th World Congress on Computational Mechanics, MS006-1-3, Beijing, China, September 5-10, 2004.
- (3) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura M., Topology optimization using structural elements for conceptual design support, International Workshops on Advances in Computational Mechanics, November 3-6, 2004, Tokyo, Japan, pp. 111.
- (4) Kinoshita, S., Nishiwaki, S., Izui, K., Yoshimura, M., Nomura, T., Sato, K., and Hirayama, K., Topology optimization of waveguides with specified frequency characteristics, 7th World Congress on Computational Mechanics, July 16-22 2006, Los Angeles, CA, USA.
- (5) Takezawa, A., Nishiwaki, S., Izui, K., and Yoshimura, M., Structural Optimization Based on Topology Optimization Techniques Using Frame and Panel Elements Considering Element Properties, International Conference on Computational Methods, April 4-6, 2007, Hiroshima, Japan, p.258.
- (6) Yamasaki, S., Nishiwaki, S., Izui, K. and Yoshimura, M., A structural Optimization Method Based on the Level Set Method Using a New Type of Re-initialization Scheme, International Conference on Computational Methods, April 4-6, 2007, Hiroshima, Japan, pp.260.
- (7) Nishiwaki, S., Yamasaki, S., Izui, K. and Yoshimura, M., Level Set Based Structural Optimization Targeting Vibration Characteristics, The 2nd Korea-Japan Workshop on Computational Engineering, August 31-September 2, 2007, Seoul, Korea, pp.100-117.
- (8) Ikeuchi, S., Yamazaki, S., Nishiwaki, S., Izui, K., Yoshimura, M., Kurumatani, M. and Terada, K., Structural Optimization Based on the Level Set Method Using the Finite Cover Method, Third Asian-Pacific Congress on Computational Mechanics in conjunction with Eleventh International Conference on Enhancement and Promotion of Computational Methods in Engineering and Science, December 3-6, 2007, Kyoto, Japan.
- (9) Yamazaki, S., Nishiwaki, S., Izui, K. and Yoshimura, M., Eigen-Frequency Optimization Method, Based on the Level Set Method Using a Geometric Re-initialization Scheme, Third Asian-Pacific Congress on Computational Mechanics in conjunction with Eleventh International Conference on Enhancement and Promotion of Computational Methods in Engineering and Science, December 3-6, 2007, Kyoto, Japan.
- (10) Iga, A., Nishiwaki, S., Izui, K. and Yoshimura, M., Topology Optimization for Thermal Problems Including Design Dependent heat convection loads, 8th World Congress on Computational Mechanics (WCCM-8), June 30-July 4, 2008, Venice, Italy.

- (11) Yamada, T., Yamasaki, S., Nishiwaki, S., Izui, K. and Yoshimura, M., Structural Optimization for the Design of Compliant Thermal Actuators Based on the Level Set Method , 8th World Congress on Computational Mechanics (WCCM-8), June 30-July 4,2008, Venice, Italy.
- (12) Yamasaki, S., Nishiwaki, S., Izui, K. and Yoshimura, M., A New Structural Optimization Method Based on the Level Set Method and Its Applications, 8th World Congress on Computational Mechanics (WCCM-8), June 30-July 4,2008, Venice, Italy.
- (13) Yamada, T., Nishiwaki, S., Izui, K. and Yoshimura, M., A New Set-based Topology Optimization Method Using on the Concepts of the Phase Field Method, 10th US National Congress on Computational Mechanics, July 16-19,2009, Ohio, USA, No.157264.
- (14) Izui, K., Okamoto, Y., Yamada, T., and Nishiwaki, S., Topology optimization of thermal deformation control systems incorporating thermoelectric devices, Proceedings of KSME-JSME Joint Symposium 2010 on Computer-Aided Engineering, March 4-5, 2010,Seoul, Korea, pp.29-30.
- (15) Yamada, T., Izui, K., and Nishiwaki, S., Level-Set Based Topology Optimization for the Design of Capacitive Micromachined Ultrasonic Transducers, Proceedings of KSME-JSME Joint Symposium 2010 on Computer-Aided Engineering, March 4-5, 2010,Seoul, Korea, pp.33-34.
- (16) Yamada, T., Izui, K., and Nishiwaki, S., Topology optimization of Capacitive Micromachined Ultrasonic Transducers Using Level Set Boundary Expressions, 2nd International Workshops on Advances in Computational Mechanics, March 29-31, 2010, Yokohama, Japan, p.62.
- (17) Yamada, T., Izui, K., and Nishiwaki, S., A Level Set-Based Structural Topology Optimization Method Incorporating Geometric Constraints, 9th World Congress on Computational Mechanics and 4th Asian Pacific Congress on Computational Mechanics, July 19-23, 2010, Sydney, Australia, p.282.
- (18) Okamoto, Y., Izui, K., Yamada T., and Nishiwaki, S., Level-Set Based Topology Optimization of Thermoelectric Actuators, 9th World Congress on Computational Mechanics and 4th Asian Pacific Congress on Computational Mechanics, July 19-23, 2010, Sydney, Australia, p.294.
- (19) Kawai, I., Izui, K., Nishiwaki, S., and Nomura, T., Topology Optimization of Dielectric Structures for Spectral Filter Devices, 9th World Congress on Computational Mechanics and 4th Asian Pacific Congress on Computational Mechanics, July 19-23, 2010, Sydney, Australia, p.294.
- (20) Masaki Otomori, Takayuki Yamada, Kazuhiro Izui and Shinji Nishiwaki, A level set-based topology optimization for mechanical structures, Euromech522 Colloquium, pp44-46, 10th-12th Oct 2011, Erlangen, Germany.
- (21) Tsukamoto, S., Izui, K., Nishiwaki, S., Ohkado, M., Nomura, T., A thin metallic structure topology optimization technique for the design of patch antennas, Proceedings of The 10th World Congress on Computational Mechanics (WCCM10), July 8- 13, 2012, São Paulo,

Brazil, pp.126-127 (18547).

- (22) Seiji Kubo, Kazuhiro Izui, Shinji Nishiwaki, Level-set based topology optimization of stokes flow, Proceedings of The 10th World Congress on Computational Mechanics (WCCM10), July 8- 13, 2012, São Paulo, Brazil, pp.204-205 (19002).
- (23) Masaki Otomori, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, Nozomu Kogiso, Level set-based topology optimization for the design of a left-handed waveguide using ferromagnetic inclusions, Proceedings of The 10th World Congress on Computational Mechanics (WCCM10), July 8- 13, 2012, São Paulo, Brazil, pp.206-207 (19015).
- (24) Suemitsu, I., Yamada, T., Izui, K., Nishiwaki, S., Noda, A., and Nagatani, T., A Layout Design Optimization Method for Multi-robot Assembly Systems, KSME-JSME Joint Symposium Computational Mechanics & CAE 2012, September 12, 2012, Kanazawa, Japan, pp.95-104.
- (25) Otomori, M., Yamada, T, Izui, K and Nishiwaki, S., Level Set-based Topology Optimization for the Design of Negative Permeability, KSME-JSME Joint Symposium Computational Mechanics & CAE 2012, September 12, 2012, Kanazawa, Japan, pp.147-156.
- (26) Yaji, K., Yamada, T, Izui, K and Nishiwaki, S., Level Set-Based Topology Optimization of Internal Flow Problem in an Incompressible Viscous Fluid, KSME-JSME Joint Symposium Computational Mechanics & CAE 2012, September 12, 2012, Kanazawa, Japan, pp.159-164.
- (27) Ohkado, M., Tsukamoto, S., Nomura, T., Izui, K., and Nishiwaki, S., Structural Optimization for Metallic Patch Antenna using Transition Boundary Condition method, the 6th European Congress on Computational Methods in Applied Sciences and Engineering (ECCOMAS), September, 10-14, 2012, TS016-2517.
- (28) Otomori, M., Andkjar, J. A., Sigmund, O., Izui, K., and Nishiwaki, S., Design of Dielectric Materials with Prescribed Effective Permittivity by Topology Optimization, JSME-CMD International Computational Mechanics Symposium 2012, October 9-11, 2012, Kobe, Japan, No.MS11-2-1(63).
- (29) Kubo, S., Yaji, K., Yamada, T., Izui, K., and Nishiwaki, S., Topology Optimization of Steady Incompressible Viscous Flow for Fluidic Devices, JSME-CMD International Computational Mechanics Symposium 2012, October 9-11, 2012, Kobe, Japan, No.MS11-1-2(105).
- (30) Lu, L., Yamamoto, T., Yamada, T., Otomori, M., Izui K., and Nishiwaki, S., Optimal Design of Acoustic Metamaterials by Topology Optimization, JSME-CMD International Computational Mechanics Symposium 2012, October 9-11, 2012, Kobe, Japan, No.MS11-2-3(66).
- (31) Ikeda, K., Nishiwaki, S., Izui, K., Yamada, T., and Kawamoto, A., Topology Optimization for Micropolar Bodies Based on the Level Set Method, Asian Conference on Design and Digital Engineering 2012, Paper No. 100109, December 6-8, 2012, Niseko, Hokkaido, Japan.
- (32) Izui, K., Yamada, T., and Nishiwaki, S., A Gradient-based Multiobjective Optimization

Technique for Large-scale Problems, Asian Conference on Design and Digital Engineering 2012, Paper No. 100133, December 6-8, 2012, Niseko, Hokkaido, Japan.

- (33) Kentaro Yaji, Takayuki Yamada, Kubo Seiji, Kazuhiro, Izui and Shinji Nishiwaki, A Topology Optimization Method Under Oseen Flow Based on the Level Set Method, ICOME/JASCOME Symposium 2012, December 12-14, Kyoto, Japan, No.J02.
- (34) Yamada, T., Izui, K., Nishiwaki, S., Ishii, K., Topology optimization for maximum Von Mises Stress constraint problems using the level set method and KS Function, 10th World Congress on Structural Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Orland FL, USA, No.5114.
- (35) Kubo, S., Yaji, K., Yamada, T., Izui, K., Nishiwaki, S., Level set based topology optimization of switching fluidic device for incompressible viscous flow, 10th World Congress on Structural Multidisciplinary Optimization (WCSMO10), 19-24 May 2013, Orland FL, USA, No.5328.
- (36) Yamada, T., Izui, K., Nishiwaki, S., Ishii, K., A Level set-based topology optimization for local stress problems, 5th Asia Pacific Congress on Computational Mechanics (APCOM2013), 11-14 December 2013, Singapore, Singapore, No.1173.
- (37) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., Nishiwaki, S., Level set-based topology optimization method for flow channel problem using lattice Boltzmann method, 5th Asia Pacific Congress on Computational Mechanics (APCOM2013), 11-14 December 2013, Singapore, Singapore, No.1517
- (38) Yamada, T., Yamagata, K., Ishikawa, S., Izui, K., Nishiwaki, S., Design method for automobile gearbox module utilizing optimization methods, 5th Asia Pacific Congress on Computational Mechanics (APCOM2013), 11-14 December 2013, Singapore, Singapore, No.1648.
- (39) Kubo, S., Yaji, K., Yamada, T., Izui, K., Nishiwaki, S., Flow rate constrained topology optimization of manifold with level set-based boundary representation, 5th Asia Pacific Congress on Computational Mechanics (APCOM2013), 11-14 December 2013, Singapore, Singapore, No.1922.
- (40) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., Nishiwaki, S., Level set-based topology optimization for design of a fluid channel considering thermal effects using the lattice Boltzmann method, 8th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM8), 25-29 May 2014, Gyeongju, Korea, T2A_3_151.
- (41) Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., A technique for ensuring diversity of solutions in aggregative gradient-based multi objective optimization, 8th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM8), 25-29 May 2014, Gyeongju, Korea, M2A_2_046.

- (42) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., Level set-based topology optimization for light-trapping structures, 8th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM8), 25-29 May 2014, Gyeongju, Korea, T3A_4_108.
- (43) Yamada, T., Matsuki, T., Izui, K., Nishiwaki, S., Optimum design of locally resonant sonic materials utilizing level set-based topology optimization, 8th China-Japan-Korea Joint Symposium on Optimization of Structural and Mechanical Systems (CJK-OSM8), 25-29 May 2014, Gyeongju, Korea, M1E_5_127.
- (44) Nishiwaki, S., Topology Optimziation for Automotive Application, Future Car Body 2014, 3-4 June 2014, Bad Nauheim, Germany, pp. 109-142.
- (45) Kubo, S., Yaji, K., Yamada, T., Izui, K., Nishiwaki, S., Topology optimization of hydrodynamic microfluidic mixer based on the level-set based boundary expression, International Conference on Engineering and Applied Sciences Optimization (OPT-i), 4-6 June 2014, Kos Island, Greece, No.3251.
- (46) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., Nishiwaki, S., Topology optimization incorporating level set boundary expressions for incompressible viscous fluid using the lattice Boltzmann method, International Conference on Engineering and Applied Sciences Optimization (OPT-i), 4-6 June 2014, Kos Island, Greece, No.3389.
- (47) Yamada, T., Kotani, T., Izui, K., Nishiwaki, S., Optimum design of dynamic mechanical structures utilizing level set-based topology optimization method, International Conference on Engineering and Applied Sciences Optimization (OPT-i), 4-6 June 2014, Kos Island, Greece, No.3460.
- (48) Yamada, T., Izui, K., Nishiwaki, S., Level set-based topology optimization method for mechanical structures considering structural flexibility, 11th World Congress on Computational Mechanics (WCCM11), 20-25 July 2014, Barcelona, Spain, No. MS494D-1.
- (49) Yaji, K., Yamada, T., Yoshino, M., Matsumoto, T., Izui, K., Nishiwaki, S., Level set-based topology optimization for a coupled thermal-fluid problem using the lattice Boltzmann method, 11th World Congress on Computational Mechanics (WCCM11), 20-25 July 2014, Barcelona, Spain, No. MS176A-1.
- (50) Otomori, M., Yamada, T., Izui, K., Nishiwaki, S., and Kogiso, N., Topology Optimization for the Design of Light-Trapping Structures Considering a Uniform Cross-Sectional Constraint, 4th International conference on engineering optimization (EngOpt2014), September 8-11, 2014, Lisbon, Portugal, 5892.
- (51) Yamada, T., Allaire, G., Izui, K., Nishiwaki, S., Optimum design of periodic microstructures for minimal dispersive effects in wave propagation, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1058.
- (52) Lee, K., Jung C. Y., Kim, S. J., Yamada, T., Izui, K., Nishiwaki, S., Yoo, J., Weight reduction of

the body weight support of COWALK using the topology optimization method, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1093.

- (53) Noguchi, Y., Yamada, T., Otomori, M., Izui, K., Nishiwaki, S., Level set-based topology optimization for the design of a wave motion converter in an acoustic-elastic interaction system, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1147.
- (54) Tanaka, R., Yaji, K., Yamada, T., Izui, K., Nishiwaki, S., A level set based topology optimization method for micropump design utilizing induced-charge electro-osmosis, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1148.
- (55) Okamoto, T., Yamada, T., Izui, K., Nishiwaki, S., Layout optimization of electromagnetic actuators for deformable mirror devices, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1251.
- (56) Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., Exploring the Pareto frontier in level set-based topology optimization, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1270.
- (57) Otomori, M., Uenishi K., Yamada, T., Izui, K., Nishiwaki, S., Level set-based topology optimization for the design of optical hyperlens, 11th World Congress on Structural and Multidisciplinary Optimisation (WCSMO-11), 7-12 June, 2015, Sydney, Australia, No.1431.
- (58) Sato, Y., Izui, K., Yamada, T., Nishiwaki, S., Efficient gradient-based multiobjective search algorithm for topology optimization, KSME-JSME Joint Symposium on CM & CAE 2015, pp. 26-27, October 26, 2015, Tokyo, Japan.
- (59) Yuki Noguchi, Takayuki Yamada, Masaki Otomori, Kazuhiro Izui, Shinji Nishiwaki, A study of frequency dependence in level set-based topology optimization for the design of wave motion converter in an acoustic-elastic coupled system, The 6th International Conference on Computational Methods, 2015 年 7 月 16 日, Auckland, New Zealand, No.862.
- # (60) Sato, Y., Yaji, K., Izui, K., Yamada, T., Nishiwaki, S., A, multiobjective topology optimization method for Tesla valve design, The 3rd International Workshops on Advances in Computational Mechanics, p. 7, Paper No. OW1-2-2, October 12-14, 2015, Tokyo, Japan, 招待講演
- (61) Ayami Sato, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, A geometrical constraint in topology optimization to achieve a shield-like feature using a fictitious physical model, Asian Congress of Structural and Multidisciplinary Optimization 2016 (ACSMO 2016), May 22-26, 2016, Nagasaki, Japan, 1B1-4.
- (62) Yuki Noguchi, Takayuki Yamada, Masaki Otomori, Kazuhiro Izui, Shinji Nishiwaki, Level set-based topology optimization of an acoustic metamaterial in an acoustic-elastic coupled

- system, Asian Congress of Structural and Multidisciplinary Optimization 2016 (ACSMO 2016), May 22-26, 2016, Nagasaki, Japan, 2A1-3.
- (63) Hiroaki Takahashi, Takayuki Yamada, Shinji Nishiwaki, Kazuhiro Izui, Satoshi Ishii, Level set-based topology optimization method for the design of an electromagnetic metasurface to manipulate light polarization, Asian Congress of Structural and Multidisciplinary Optimization 2016 (ACSMO 2016), May 22-26, 2016, Nagasaki, Japan, 2A2-3.
 - (64) Kozo Furuta, Masahiko Orii, Kazuhiro Izui, Takayuki Yamada, Shinji Nishiwaki, Level set-based topology optimization for thermoelectric devices, Asian Congress of Structural and Multidisciplinary Optimization 2016 (ACSMO 2016), May 22-26, 2016, Nagasaki, Japan, 2A2-5.
 - (65) Masahiko Orii, Kentaro Yaji, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, A shape optimization method based on the convected level set method and its application for the design of a spectrally selective emitter for thermophotovoltaic generation, Asian Congress of Structural and Multidisciplinary Optimization 2016 (ACSMO 2016), May 22-26, 2016, Nagasaki, Japan, 2A3-2.
 - (66) Yuki Sato, Naoki Kishimoto, Kazuhiro Izui, Takayuki Yamada, Shinji Nishiwaki, Level set-based topology optimization considering maximum length scale constraints, Asian Congress of Structural and Multidisciplinary Optimization 2016 (ACSMO 2016), May 22-26, 2016, Nagasaki, Japan, 3B2-3.
 - (67) S. Kubo, A. Koguchi, K. Yaji, T. Yamada, K. Izui, S. Nishiwaki, Level set-based topology optimization method for fluid problem incorporating with an immersed boundary method, 1st Asian Congress of Structural and Multidisciplinary Optimization (ACSMO2016), May 22-26, 2016, Nagasaki, Japan, No.3A2-2.
 - (68) Petrovic, M., Nomura, T., Yamada, T., Izui, K., Nishiwaki, S., Anisotropic material orientation optimization method in composite laminates, 7th European Congress on Computational Methods in Applied Sciences and Engineering (ECCOMAS2016), June 5-6, 2016, Crete Island, Greece, No.6338
 - (69) Nishiwaki, S., Yamada, T., Izui, K., A new topology optimization method and its application to innovative structure and material designs, 7th European Congress on Computational Methods in Applied Sciences and Engineering (ECCOMAS2016), June 5-6, 2016, Crete Island, Greece, No.12410.
 - (70) Nishiwaki, S., A New Topology Optimization and Its Application to Mechanical, Electromagnetic and Material Design, 12th World Congress on Computational Mechanics (WCCM XII), July 24-29, 2016. Seoul, Korea, No.152467. (Semi Plenary Lecture)
 - (71) Sato, Y., Yaji, K., Izui, K., Yamada, T., Nishiwaki, S., Topology optimization of a no-moving-part valve based on a multiobjective formulation, 12th World Congress on Computational Mechanics (WCCM XII), July 24-29, 2016. Seoul, Korea, No.150991.

- (72) Sato, A., Yamada, T., Izui, K., Nishiwaki, S., A microstructural optimization method based on micropolar continuum theory, 12th World Congress on Computational Mechanics (WCCM XII), July 24-29, 2016. Seoul, Korea, No.150992.
- (73) Noguchi, Y., Yamada, T., Otomori, M., Izui, K., Nishiwaki, S., Level set-based topology optimization of three dimensional wave-motion-converting metasurface in an acoustic-elastic coupled system, 12th World Congress on Computational Mechanics (WCCM XII), July 24-29, 2016. Seoul, Korea, No.151099.
- (74) Furuta, K., Izui, K., Matsumoto, M., Yamada, T., Nishiwaki, S., Topology optimization of heat conduction considering phonon dynamics at the nano scale, 12th World Congress on Computational Mechanics (WCCM XII), July 24-29, 2016. Seoul, Korea, No.151070.
- (75) Noguchi, Y., Yamada, T., Yamamoto, T., Izui, K., Nishiwaki, S., Design of Acoustic Metamaterial using Level Set-based Topology Optimization, the 7th International Conference on Computational Methods (ICCM2016), August 1st - 4th, 2016, Berkeley, California, USA, Session 3B2, Paper No. 2041.
- (76) Furuta, K., Izui, K., Matsumoto, M., Yamada, T., Nishiwaki, S., Topology Optimization of Nanoscale Heat Conduction with the Boltzmann Transport Equation, the 7th International Conference on Computational Methods (ICCM2016), August 1st - 4th, 2016, Berkeley, California, USA, Session 3B2, Paper No. 2058.
- (77) Noguchi, Y., Yamamoto, T., Yamada, T., Izui, K., and Nishiwaki, S., Level set-based topology optimization for the design of acoustic metamaterial using two-phase material model, 5th Joint Meeting of the Acoustical Society of America and Acoustical Society of Japan, 2016年12月2日, Honolulu, HI, USA, 5pNSa2.
- (78) Yamada, T., Kishimoto, N., Izui, K., Nishiwaki, S., Level set-based topology optimization for multi-material problems, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.134.
- (79) Sato, A., Okamoto, S., Yamada, T., Izui, K., Nishiwaki, S., Takata, S., A topology optimization method for molecular gas dynamics based on the Boltzmann equation, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.332.
- (80) Takahashi, H., Yamada, T., Nishiwaki, S., Izui, K., Level set-based topology optimization method for the design of a perfectly absorbing metasurface, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.245.
- (81) Chen, C., Yaji, K., Yamada, T., Izui, K., Nishiwaki, S., Topology optimization of periodic flows using the local-in-time method and the lattice Boltzmann method, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.221.

- (82) Furuta, K., Sato, A., Izui, K., Matsumoto, M., Yamada, T., Nishiwaki, S., Level set-based topology optimization for thermoelectric nanostructures considering the temperature discontinuity, based on the Boltzmann transport equation, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.294.
- (83) Sato, Y., Yamada, T., Izui, K., Nishiwaki, S., A fictitious physical model-based geometrical constraint in topology optimization for molding and milling, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.163.
- (84) Noguchi, Y., Miyata, K., Yamada, T., Izui, K., Nishiwaki, S., Level set-based topology optimization for a soundproofing acoustic metasurface using Zwicker's loudness model, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.218.
- (85) Tsuda, A., Kogiso, N., Tamayama, M., Yamada, T., Izui, K., Nishiwaki, S., Optimum design of compliant mechanism for morphing wing structure using level setbased topology optimization, 12th World Congress of Structural and Multidisciplinary Optimisation (WCSMO12), June 5-9, 2017, Braunschweig, Germany, No.262.
- (86) K. Furuta, A. Sato, K. Izui, T. Yamada, M. Matsumoto and S. Nishiwaki, "Structural optimization for two-phase nanoscale heat conduction problems," The 4th International Conference on Computational Design in Engineering, April 1st - 5th, Changwon, Korea, M1606-3.
- (87) S. Lim, R. Misawa, S. Maruyama, T. Yamada, K. Izui and S. Nishiwaki, "Lightweight design for automotive component using multi-material level set-based topology optimization," The 4th International Conference on Computational Design in Engineering, April 1st - 5th, Changwon, Korea, M1606-2.
- (88) Ayami Sato, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, An optimum design method for devices using thermal transition flows based on topology optimization, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, No. A020120.
- (89) Yuki Noguchi, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, Optimum design of anisotropic acoustic metamaterials based on high-frequency homogenization method, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, No. A020091.
- (90) Kozo Furuta Ayami Sato, Kazuhiro Izui, Mitsuhiro Matsumoto, Structural optimization for nanoscale heat conduction problems based on the phonon Boltzmann transport equation, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, No. A020187.

- (91) Kazuhiro Izui, Yuki Sato, Takayuki Yamada, Shinji Nishiwaki, Gradient-based multiobjective optimization techniques for topological design problems, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, No. A000006.
- (92) Yuki Sato, Kazuhiro Izui, Takayuki Yamada, Shinji Nishiwaki, Robust Topology Optimization under Wave Number Uncertainty for Increasing the Effective Bandwidth of an Electromagnetic Cloak, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, No. A020119.
- (93) Doe Young Hur, Yuki Sato, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, Level set-based topology optimization considering manufacturability via fictitious physical model based geometrical constraint for molding and milling, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, No. A020192.
- # (94) Izui, K., Sato, Y., Yamada, T., and Nishiwaki, S., Gradient-based multiobjective optimization techniques for topological design problems, The Asian Congress of Structural and Multidisciplinary Optimization 2018, 2018 年 5 月 21 日-24 日, Dalian, China, Keynote-lecture.
- (95) Ayami Sato, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, Topology Optimization for Channel Flow Problems of Rarefied Gas Based on a Deterministic Approach, 31st International Symposium on Rarefied Gas Dynamics, July 23-27, 2018, Glasgow, UK.
- (96) Kozo Furuta, Ayami Sato, Kazuhiro Izui, Takayuki Yamada, Mitsuhiro Matsumoto, Shinji Nishiwaki, Structural Optimization of Thermoelectric Nanomaterials Using the Level Set Method, The 13th World Congress on Computational Mechanics, July 22-27, 2018, New York City, United States of America, 2019709.
- (97) Yusuke Sasaki, Takayuki Yamada, Kazuhiro Izui, Shinji Nishiwaki, Level Set-Based Topology Optimization of Fluid Flows Using the Moving Particle Semi-implicit Method, The 13th World Congress on Computational Mechanics, July 22-27, 2018, New York City, United States of America, 2020992
- (98) Yuki Sato, Kazuhiro Izui, Takayuki Yamada, Shinji Nishiwaki, Makoto Ito, Nozomu Kogiso, Topology optimization incorporating reliability design under geometrical uncertainties, The 13th World Congress on Computational Mechanics, July 22-27, 2018, New York City, United States of America, 2019287.
- (99) Misawa, R. Lim, S., Maruyama, S., Yamada, T., Izui, K., and Nishiwaki, S., On a Solver of Stiffness Maximization Problems in 3D with Multiple Materials Using Reaction Diffusion Equations, `` International Conference on Computational & Experimental Engineering and Sciences (ICCES 2019)", March 25-28, 2019., Paper ID: 5203
- (100) Misawa, R. Lim, S., Maruyama, S., Yamada, T., Izui, K., and Nishiwaki, S., Topology optimization for 3D elastostatic problems with mass constraint using multiple materials, 13th

World Congress of Structural and Multidisciplinary Optimization (WCSMO 13), May 20-24, 2019, Beijing, China, A250725.

- (101) Noguchi, Y., Kurioka, H., Yamada, T., Izui, K., and Nishiwaki, S., Topology optimization for the design of anisotropic elastic metamaterials based on a high-frequency homogenization method, 13th World Congress of Structural and Multidisciplinary Optimization (WCSMO 13), May 20-24, 2019, Beijing, China., No. A250911.
- (102) Narita, Y., Yamada, T., Kondoh, T., Nomura, T., Izui, K., and Nishiwaki, S., Construction of topology optimization method for anisotropic materials considering manufacturability, the 7th Asian Pacific Congress on Computational Mechanics (APCOM 2019), Dec 17-20, 2019, Taipei, Taiwan, 0619
- (103) Yodono, T., Yaji, K., Yamada, T., Izui, K., and Nishiwaki, S., Topology optimization for elastic problems based on the lattice Boltzmann method, the 7th Asian Pacific Congress on Computational Mechanics (APCOM 2019), Dec 17-20, 2019, Taipei, Taiwan, 0466
- (104) Yamanaka, T., Izui, K., Nishiwaki, S., Yamada, T., Multi-objective optimization for FJSP (Flexible Job Shop Scheduling) based on DRs (Dispatching Rules) with GP (Genetic Programming), the 7th Asian Pacific Congress on Computational Mechanics (APCOM 2019), Dec 17-20, 2019, Taipei, Taiwan, 0065
- (105) Yuta Tanaka, Kazuhiro Izui, Multi-objective Optimization and Data Mining Method for Ordinal Variables in Conceptual Design of Production Systems, the 7th Asian Pacific Congress on Computational Mechanics (APCOM 2019), Dec 17-20, 2019, Taipei, Taiwan, 0175
- (106) Li, H., Yamada, T., Jolivet, P., Izui, K., and Nishiwaki, S., Large-scale 3D Structural Topology Optimization using Adaptive Mesh Refinement based on Level-set Method, 7th Asian Congress of Structural and Multidisciplinary Optimization 2020 (ACSMO2020), Nov 23-25, 2020, Seoul, Korea, M3D-1.
- (107) Hur, D., Yamada, T., Izui, K., and Nishiwaki, S., Level set-based Topology Optimization Regarding Turbulent Flow via Re-modeling Method, 7th Asian Congress of Structural and Multidisciplinary Optimization 2020 (ACSMO2020), Nov 23-25, 2020, Seoul, Korea, W4A-1.
- (108) Furuta, K., Izui, K., Yamada, T., and Nishiwaki, S., Shape Optimization for New Thermal Materials Based on the Level Set Method, 7th Asian Congress of Structural and Multidisciplinary Optimization 2020 (ACSMO2020), Nov 23-25, 2020, Seoul, Korea, W3B-1.
- (109) Morishita, N., Izui, K., Nishiwaki, S., Kondoh, T., Yamada, T., Drag Minimization in Navier-Stokes Flows Via Topology Optimization Under the Projected Area Constraint, 14th World Congress on Computational Mechanics (WCCM XIV), January 11-15, 2021. Virtual Congress, No.2309.
- (110) Hashimoto, A., Nishiwaki, S., Izui, K., Yamada, T., Structural Optimization Using Physics-Informed Neural Networks, 14th World Congress on Computational Mechanics

- (WCCM XIV), January 11-15, 2021. Virtual Congress, No.3188.
- (111) Furuta, K., Lim, S., Misawa, R., Maruyama, S., Yamada, T., Izui, K., Nishiwaki, S., Multi-Material Level Set-Based Topology Optimization for 3d Structures Considering a Material Interface Effect, 14th World Congress on Computational Mechanics (WCCM XIV), January 11-15, 2021. Virtual Congress, No.3263.
- (112) Kurioka, H., Noguchi, Y., Yamada, T., Izui, K., Nishiwaki, S., Multi-Scale Design Method of Acoustic Metamaterials Using Topology Optimization, 14th World Congress on Computational Mechanics (WCCM XIV), January 11-15, 2021. Virtual Congress, No.3993.
- (113) Fukada, K., Yamada, T., Izui, K., Nishiwaki, S., Optimum Design Of An Acoustic Metasurface Having Ventilation And Soundproofing Function, 14th World Congress on Computational Mechanics (WCCM XIV), January 11-15, 2021. Virtual Congress, No.4068.
- (114) Yamasaki, T., Izui, K., Yamada, T., Nishiwaki, S., Furuta, K., Lim, S., Fujimoto, K., Jung, S., Watanabe, N., Kurimoto, N., A Study On Integrated Optimization Strategy of Motor Structure and Its Control System, 14th World Congress on Computational Mechanics (WCCM XIV), January 11-15, 2021. Virtual Congress, No.4289.
- (115) Li, H., Kondoh, T., Jolivet, P., Yamada, T., Izui, K., Nishiwaki, S., and Furuta, K., Reaction-Diffusion Equation-based Topology Optimization: a novel framework for 2D and 3D Thermal Fluid- Structure System Design, 14th World Congress of Structural and Multidisciplinary Optimization 2021(WCSMO2021), June 13-18, 2021, Colorado, USA, 182.
- (116) Morishita, N., Nishiwaki, S., Izui, K., Furuta, K., and Kondoh, T., Topology optimization for Navier-Stokes flow under the projected area constraint, 14th World Congress of Structural and Multidisciplinary Optimization 2021(WCSMO2021), June 13-18, 2021, Colorado, USA, 277.
- (117) Hashimoto, A., Furuta, K., Izui, K., and Nishiwaki, S., Efficient shape update in topology optimization using physics-informed neural networks, 14th World Congress of Structural and Multidisciplinary Optimization 2021(WCSMO2021), June 13-18, 2021, Colorado, USA, 564.
- (118) Kurioka, H., Noguchi, Y., Izui, K., Yamada, T., and Nishiwaki, S., Multi-scale optimal design method of anisotropic acoustic metamaterials based on topology optimization and high-frequency homogenization method, 14th World Congress of Structural and Multidisciplinary Optimization 2021(WCSMO2021), June 13-18, 2021, Colorado, USA, 293.
- (119) Ishida, N., Kondoh, T., Furuta, K., Izui, K., and Nishiwaki, S., Level Set-based Topology Optimization for Maximizing Linear Buckling Load, 14th World Congress of Structural and Multidisciplinary Optimization 2021(WCSMO2021), June 13-18, 2021, Colorado, USA, 453.

3. 総説

- (1) 泉井一浩, 2004 年 4 月, GA による最適化手法の現状と初期設計時の多目的最適化への展開, 溶接学会誌, Vol.73 No.3, pp.155-160.

- (2) 泉井一浩, 2005 年 5 月, 最適設計問題の階層的表現と遺伝的アルゴリズムによる解法, 機械の研究, 第 57 巻第 6 号, pp.627-632.
- (3) 泉井一浩, 2016 年 8 月, ロボットセル生産システムのレイアウト最適設計法、Vol. 28, No. 2, 設備管理学会誌, pp. 21-29

5. 特許

- (1) 竹澤晃弘, 西脇眞二, 泉井一浩, 吉村允孝, 西垣英一, 鶴見康昭, 菊池昇, 構造物の最適設計装置およびプログラム, 特許公開 2005-22178.
- (2) 山下進介, 小林正和, 西脇眞二, 泉井一浩, 吉村允孝, 富田直秀, 最適設計支援装置, 最適設計支援方法及び最適設計支援プログラム, 特許公開 WO2006/009026.
- (3) 山田恭崇, 西脇眞二, 泉井一浩, 吉村允孝, 構造最適化装置, 方法及びプログラム, 特許第 5377501 号
- (4) Yamada, T., Nishiwaki, S., Izui, K., and Yoshimura, M., Structural Optimization System, Structural Optimization Method, and Structural Optimization Program, United States Patent, No. US 9,081,920 B2.